

# Gibson Means Peace of Mind

2012
Full Line
Home
Appliances
Catalog

Refrigerators
Freezers
Home Comfort
Laundry
Cooking
Dishwashers



## Gibson

## **Table of Contents**

Refrigerators
Freezers
Home Comfort Products 34
Laundry Products42
Cooking Products 57
Dishwashers

## Approvals and Certifications

We understand how important approvals are for local governments and ministries. This is the reason that Gibson products have such a wide range of approvals and certifications.











ROHS WEEE SASO IEC CE

CE TUV CB

CCC AHAM ISO 9001 ISO 9002

ISO 14001

JISM JSMO

Demko











## Refrigerators





'A+' Energy Rating
Frost Free Operation
Electronic Controls and Display
Celsius/Fahrenheit Temperature
Selector

Open Door Alarm High Temperature Alarm Power Failure Alarm

4 Half-Width Sliding Spill Safe Glass Refrigerator Shelves

2 Ultra Humidity-Controlled Crisper Bins with Glass Cover Shelf

Full-Width Snack Drawer

2 Covered Dairy Compartments

2 Extra Large and 2 Large Adjustable Refrigerator Door Bins

4 Cool White LED Transition Lights in the Refrigerator

2 Wire Freezer Baskets with 1 Divider

Basket Tray

Self-Closing Freezer Drawer

1 Cool White LED Transition Light in the Freezer

2 Adjustable Front Rollers

Anti-Tip Design

Vacation Mode

Smooth White Doors and Textured Steel Cabinet

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MSBG30V5LW-A





The Gibson MSBG30V5LW French door style refrigerator with a bottom freezer makes it more convenient than ever to organize your fresh and frozen foods. The extra wide shelves and storage drawer provide abundant space for large platters of food and a variety of snacks.







The Electronic Controls and Display are located on the interior of the left refrigerator door. At the top of the display is the Power On/Off and Default Settings reset button followed by the Celsius/Fahrenheit Temperature Selector. The alarm reset is found in the middle of the display and needs selected after the Open Door, High Temperature or Power Failure Alarms are activated. At the bottom of the display are the digital temperature displays for the refrigerator and freezer sections that can be adjusted precisely in one degree increments.

The Cool White LED Transition Lights in both compartments are easy on the eyes and gradually intensify to illuminating brightness after you open the door.

This model has earned an 'A+' Energy Rating which will save you money as well as save the environment.

The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the refrigerator's sealed system.



MODEL	MSBG30V5LW
Voltage, Hertz	220-240, 50/60
AHAM Total Capacity (L/cu ft)	788 / 27.8
Fresh Food volume (L/cu ft)	540 / 19.04
Freezer volume (L/cu ft)	248 / 8.76
IEC Total Capacity (L/cu ft)	780 / 27.55
Fresh Food volume (L/cu ft)	485 / 17.13
Freezer volume (L/cu ft)	160 / 5.65
SYSTEM FEATURES	
Euro Energy Rating	A+
Climate Class	T
Energy Usage (kW/yr)	445
Power Cord	IEC 320 - British/Euro
2 Adjustable Front Rollers	Yes
Vacation Mode	Yes
Approvals	CE, RoHS, TUV, GS Mark
Door Color	White Textured Steel
Cabinet Color	Deluxe Smooth White
ELECTRONIC TEMPERATURE CONTI	ROLS
Centigrade/Fahrenheit Mode Switch	Yes
Power Failure Alarm	Yes
High Temperature Alarm	Yes
Door Ajar Alarm	Yes
Reset Factory Defaults	Yes
Power On/Off	Yes
REFRIGERATOR FEATURES	
Refrigerator Shelves	4 Half-Width Sliding SpillSafe
Full Width Snack Drawer	Yes
Crispers with Humidity Control	2
Transition Lighting	4 Cool White LED
Door Shelves	2 Large & 2 Extra-Large Adjustable Bins
Covered Dairy Compartment	2
FREEZER FEATURES	
Storage Baskets	2 Wire
Basket Dividers	2
Self-Closing Drawer	Yes
Lighting	3 Cool White LED
UNIT DIMENSIONS & WEIGHT	
Height - Cabinet (mm/in)	1734 / 68.25
Height - Hinge (mm/in)	1762 / 69.4
Width - Cabinet (mm/in)	905 / 35.6
Depth - Cabinet (mm/in)	724 / 28.5
Depth - Total including door and han	dle (mm/in) 907 / 35.7
Net Weight (kg/lb)	158 / 349
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1829 / 72
Width (mm/in)	965 / 38
Depth (mm/in)	902 / 35.5
Gross Weight (kg/lb)	166 / 365
Container Loading (20'/40'/40'HC)	12 / 26 / 26



60cm Counter Depth Ice and Water Dispenser Fresh Ice and Water Filter 3 SpillFree Refrigerator Shelves 2 Ultra Humidity-Controlled Crisper Bins with Glass Shelf **Chilled Meat Drawer Covered Dairy Compartment** 3 Adjustable Door Bins, 2 Can Racks and 1 Mini Bin Hanging Bottle Holder 3 Wire Freezer Shelves 1 Full-Width Sliding Freezer 4 Fixed Freezer Door Bins Space Saver Shelf Freezer Light



## ISO 9001 & 14001

White Color

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-RSRC25V4GW-A





The Gibson RSRC25V4GW refrigerator is designed with longer, contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance.

The Fresh Ice and Water Filter provides maximum filtration to remove impurities and contaminants from your water. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson refrigerator.

MODEL Voltage Hortz	RSRC25V4GW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	640 / 22.6
ISO Gross Capacity (L/cu ft)	620 / 21.9
ISO Net Fresh Food Capacity (L/cu ft)	374 / 13.2
ISO Net Frozen Food Capacity* (L/cu ft) SYSTEM FEATURES	159 / 5.6
Euro Energy Rating	В
Climate Class	T
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1760 / 69.3
Width (mm/in)	914 / 36
Depth - Cabinet only (mm/in)	597/ 23.5
Depth - With Door (mm/in)	744 / 29.3
Net Weight (kg/lb)	127 / 280
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1794 / 70.6
Width (mm/in)	958 / 37.7
Depth (mm/in)	763.5 / 30
Gross Weight (kg/lb)	136 / 300
Container Loading (20'/40'/40'HC)	18 / 36 / 48
***	


\* Volume does not include icemaker space



Quick Connect Hoses
Empty Bottle Automatic Shut-Off
Built-In Check Valve to Prevent
Backflow
Universal Seal Cap
Compact Size for Easy Mounting
Positive Displacement Pump
Lighted Power Switch
6m/20 ft. Discharge Hose







This system can be easily and conveniently installed in a cabinet or under the counter next to the refrigerator.

The revolutionary ClearFlo water dispensing system resolves the concerns about side-by-side refrigerators with ice and water dispensers and top mount refrigerators with ice makers. This compact system is the solution to the problems of water pressure, purity and temperature.

The ClearFlo was designed to pump water from a commercially available 5-gallon water bottle. The system will

deliver the water under pressure to the water inlet of the refrigerator. When the suction wand is inserted into the 5-gallon water bottle, it will activate the float switch on the end of the wand and turn on the pump. This same float switch shuts off the system when the bottle is empty.

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-BW4001-000A-A

MODEL	BW4001-000A
Voltage, Hertz	230, 50/60
Current - Amps/230V	0.25 max
Maximum Flow (L/min / gal/min)	3.8 / 1
Maximum Pressure (bar/psi)	2.8 / 40
Discharge Hose (m/ft)	6.1 / 20
Power Cord (m/ft)	1.82 / 6
UNIT DIMENSIONS & WEIGHTS	
Height (mm/in)	76/3
Width (mm/in)	140 / 5.5
Depth (mm/in)	190 / 7.5
Net Weight (kg/lb)	2.5 / 5.6
Gross Weight (kg/lb)	3.9 / 8.5



'A+' Energy Rating Stainless Steel Doors Deluxe Climate Controlled Defrost Full Cycle Airflow

- 2 Full-Width and 2 Half-Width Glass SpillFree Refrigerator Shelves
- 2 Ultra Humidity-Controlled Crisper Bins with Cover Shelf

Snack Storage Compartment

**Covered Dairy Compartment** 

- 4 Extra Large Adjustable Refrigerator Door Bins and 1 Fixed Door Bin
- 2 Tall Bottle Retainers and 2 Door Snuggers

Adjustable Wire Freezer Shelf Ice Tray Shelf, 2 Ice Trays and Ice Server

2 Freezer Door Racks Optional Ice Maker Kit (IM220)



## ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A.

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRTS23V7MS-B







The Gibson MRTS23V7MS refrigerator is designed with contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance.

Built with stainless steel doors, this refrigerator will look elegant in every kitchen. This model has earned an 'A+' Energy Rating which will save you money as well as save the environment. The new Deluxe Climate Controlled Defrost allows the defrost cycle to occur as necessary according to climate and usage conditions,

even in the event of frequent power outages. The result is energy savings for you. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

according to climate and usage conditions,	
MODEL	MRTS23V7MS
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	581 / 20.5
ISO Gross Capacity (L/cu ft)	578 / 20.4
ISO Frozen Food Capacity (L/cu ft)	139 / 4.9
SYSTEM FEATURES	
100 % Frost Free	Yes
Euro Energy Rating	A+
Climate Class	T - Tropical
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Automatic Ice Maker/Kit Number	Optional / IM220
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1727 / 68
Width (mm/in)	762 / 30
Depth (mm/in)	807 / 31.7
Net Weight (kg/lb)	93 / 205
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1778 / 70
Width (mm/in)	768 / 30.25
Depth (mm/in)	851 / 33.5
Gross Weight (kg/lb)	100 / 220
Container Loading (20'/40'/40'HC)	20 / 39 / 52



- 2 Full-Width and 2 Half-Width Glass Refrigerator Shelves
- 2 Ultra Humidity-Controlled Crisper Bins with Cover Shelf

Snack Storage Compartment Covered Dairy Compartment

2 Extra Large Refrigerator Door Racks and 1 Fixed Bin Tall Bottle Retainer and Door

Tall Bottle Retainer and Door Snugger

Adjustable Wire Freezer Shelf Ice Tray Shelf, 2 Ice Trays and Ice Server

2 Freezer Door Racks Optional Ice Maker Kit (IM220) White Color



ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRTN23V6MW-A







The Gibson MRTN23V6MW refrigerator is designed with contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance.

This model has earned an 'A+' Energy Rating which will save you money as well as save the environment. The new Deluxe Climate Controlled Defrost allows the defrost cycle to occur as necessary according to climate and usage conditions, even in the event of frequent power outages. The result is energy savings for

you. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

outages. The result is energy savings for	
MODEL	MRTN23V6MW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	581 / 20.5
ISO Gross Capacity (L/cu ft)	578 / 20.4
ISO Frozen Food Capacity (L/cu ft)	139 / 4.9
SYSTEM FEATURES	
100 % Frost Free	Yes
Euro Energy Rating	A+
Climate Class	T - Tropical
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Automatic Ice Maker/Kit Number	Optional / IM220
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1727 / 68
Width (mm/in)	762 / 30
Depth (mm/in)	807 / 31.7
Net Weight (kg/lb)	93 / 205
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1778 / 70
Width (mm/in)	768 / 30.25
Depth (mm/in)	851 / 33.5
Gross Weight (kg/lb)	100 / 220
Container Loading (20'/40'/40'HC)	20 / 39 / 52



- 3 Full-Width Wire Refrigerator Shelves
- 2 Ultra Humidity-Controlled Crisper Bins with Cover Shelf

Snack Storage Compartment Covered Dairy Compartment

- 3 Extra Large Refrigerator Door Racks
- Tall Bottle Retainer and Door Snugger

Adjustable Wire Freezer Shelf Ice Tray Shelf, 2 Ice Trays and Ice Server

2 Freezer Door Racks Optional Ice Maker Kit (IM220) White Color



## ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A.

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRTD23V5MW-B







The Gibson MRTD23V5MW refrigerator is designed with contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance.

This model has earned an 'A+' Energy Rating which will save you money as well as save the environment. The new Deluxe Climate Controlled Defrost allows the defrost cycle to occur as necessary according to climate and usage conditions, even in the event of frequent power outages. The result is energy savings for

you. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

MODEL	MRTD23V5MW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	581 / 20.5
ISO Gross Capacity (L/cu ft)	578 / 20.4
ISO Frozen Food Capacity (L/cu ft)	139 / 4.9
SYSTEM FEATURES	
100 % Frost Free	Yes
Euro Energy Rating	A+
Climate Class	T - Tropical
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Automatic Ice Maker/Kit Number	Optional / IM220
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1727 / 68
Width (mm/in)	762 / 30
Depth (mm/in)	807 / 31.7
Net Weight (kg/lb)	93 / 205
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1778 / 70
Width (mm/in)	768 / 30.25
Depth (mm/in)	851 / 33.5
Gross Weight (kg/lb)	100 / 220
Container Loading (20'/40'/40'HC)	20 / 39 / 52



'A+' Energy Rating
Deluxe Climate Controlled Defrost
Full Cycle Airflow
3 Full-Width SpillFree Glass

3 Full-Width SpillFree Glass Refrigerator Shelves

2 Ultra Humidity-Controlled Crisper Bins with Cover Shelf

Snack Storage Compartment Covered Dairy Compartment

2 Extra Large Refrigerator
Door Racks and 1 Fixed Bin
Tall Battle Bateiner and Daor

Tall Bottle Retainer and Door Snugger

Adjustable Wire Freezer Shelf Ice Tray Shelf, 2 Ice Trays and Ice Server

2 Freezer Door Racks Optional Ice Maker Kit (IM220) Silver Mist Color



## ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A.

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRTG20V5MM-B







The Gibson MRTG20V5MM refrigerator is designed with contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance. The Silver Mist doors have the look of stainless steel without the expense.

This model has earned an 'A+' Energy Rating which will save you money as well as save the environment. The new Deluxe Climate Controlled Defrost allows the defrost cycle to occur as necessary according to climate and usage conditions, even in the event of frequent power outages. The result is energy savings for you. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

according to commute and acage contaments,	
MODEL	MRTG20V5MM
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	516 / 18.2
ISO Gross Capacity (L/cu ft)	509 / 18.0
ISO Frozen Food Capacity (L/cu ft)	106 / 3.7
SYSTEM FEATURES	
100 % Frost Free	Yes
Euro Energy Rating	A+
Climate Class	T - Tropical
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Automatic Ice Maker/Kit Number	Optional / IM220
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1651 / 65
Width (mm/in)	762 / 30
Depth (mm/in)	759 / 29.8
Net Weight (kg/lb)	86 / 190
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1702 / 67
Width (mm/in)	768 / 30.25
Depth (mm/in)	800 / 31.5
Gross Weight (kg/lb)	93/ 205
Container Loading (20'/40'/40'HC)	21 / 42 / 63



- 3 Full-Width Glass Refrigerator Shelves
- 2 Ultra Humidity-Controlled Crisper Bins with Cover Shelf
- Snack Storage Compartment Covered Dairy Compartment
- 3 Extra Large Refrigerator Door Racks
- Tall Bottle Retainer and Door Snugger
- Adjustable Wire Freezer Shelf Ice Tray Shelf, 2 Ice Trays and Ice Server
- 2 Freezer Door Racks Optional Ice Maker Kit (IM220) White Color



ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRTG20V4MW-A







The Gibson MRTG20V4MW refrigerator is designed with contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance.

This model has earned an 'A+' Energy Rating which will save you money as well as save the environment. The new Deluxe Climate Controlled Defrost allows the defrost cycle to occur as necessary according to climate and usage conditions, even in the event of frequent power outages. The result is energy savings for you. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

MODEL	MRTG20V4MW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	516 / 18.2
ISO Gross Capacity (L/cu ft)	509 / 18.0
ISO Frozen Food Capacity (L/cu ft)	106 / 3.7
SYSTEM FEATURES	
100 % Frost Free	Yes
Euro Energy Rating	A+
Climate Class	T - Tropical
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Automatic Ice Maker/Kit Number	Optional / IM220
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1651 / 65
Width (mm/in)	762 / 30
Depth (mm/in)	759 / 29.8
Net Weight (kg/lb)	86 / 190
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1702 / 67
Width (mm/in)	768 / 30.25
Depth (mm/in)	800 / 31.5
Gross Weight (kg/lb)	93/ 205
Container Loading (20'/40'/40'HC)	21 / 42 / 63



- 3 Full-Width Wire Refrigerator Shelves
- 2 Ultra Humidity-Controlled Crisper Bins with Cover Shelf
- Snack Storage Compartment Covered Dairy Compartment
- 3 Extra Large Refrigerator Door Racks
- Tall Bottle Retainer and Door Snugger

Adjustable Wire Freezer Shelf Ice Tray Shelf and 2 Ice Trays 2 Freezer Door Racks Optional Ice Maker Kit (IM220)

Optional Ice Maker Kit (IM220)
White Color



## ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A.

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRTD20V3MW-B







The Gibson MRTD20V3MW refrigerator is designed with contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance.

This model has earned an 'A+' Energy Rating which will save you money as well as save the environment. The new Deluxe Climate Controlled Defrost allows the defrost cycle to occur as necessary according to climate and usage conditions, even in the event of frequent power outages. The result is energy savings for you. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

MODEL	MRTD20V3MW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	516 / 18.2
ISO Gross Capacity (L/cu ft)	509 / 18.0
ISO Frozen Food Capacity (L/cuft)	106 / 3.7
SYSTEM FEATURES	
100 % Frost Free	Yes
Euro Energy Rating	A+
Climate Class	T - Tropical
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Automatic Ice Maker/Kit Number	Optional / IM220
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1651 / 65
Width (mm/in)	762 / 30
Depth (mm/in)	759 / 29.8
Net Weight (kg/lb)	86 / 190
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1702 / 67
Width (mm/in)	768 / 30.25
Depth (mm/in)	800 / 31.5
Gross Weight (kg/lb)	93/ 205
Container Loading (20'/40'/40'HC)	21 / 42 / 63



- 3 Full-Width Glass Refrigerator **Shelves**
- 2 Ultra Humidity-Controlled Crisper Bins with Cover Shelf
- **Snack Storage Compartment Covered Dairy Compartment**
- 3 Extra Large Refrigerator **Door Racks**
- Tall Bottle Retainer and Door Snugger
- Adjustable Wire Freezer Shelf
- 2 Ice Trays
- 2 Freezer Door Racks Optional Ice Maker Kit (IM220) White Color







The Gibson MRTG18V4MW refrigerator is designed with contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance.

This model has earned an 'A+' Energy Rating which will save you money as well as save the environment. The new Deluxe Climate Controlled Defrost allows the defrost cycle to occur as necessary according to climate and usage conditions, even in the event of frequent power outages. The result is energy savings for you. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson refrigerator.

#### Gibson ISO 9001 & 14001 WARRANTY

CERTIFIED FACILITY

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Electrolux Home Products, Inc. 2012 G12RF-MRTG18V4MW-A

MODEL	MRTG18V4MW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	467 / 16.5
ISO Gross Capacity (L/cu ft)	462 / 16.3
ISO Frozen Food Capacity (L/cu ft)	97 / 3.4
SYSTEM FEATURES	
100 % Frost Free	Yes
Euro Energy Rating	A+
Climate Class	T - Tropical
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Automatic Ice Maker/Kit Number	Optional / IM220
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1625 / 64
Width (mm/in)	721 / 28.4
Depth (mm/in)	746 / 29.4
Net Weight (kg/lb)	80 / 175
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1689 / 66.5
Width (mm/in)	743 / 29.25
Depth (mm/in)	794 / 31.25
Gross Weight (kg/lb)	86 / 190
Container Loading (20'/40'/40'HC)	21 / 42 / 63



- 3 Full-Width Wire Refrigerator Shelves
- 2 Ultra Humidity-Controlled Crisper Bins with Cover Shelf

**Covered Dairy Compartment** 

3 Extra Large Refrigerator Door Racks

Tall Bottle Retainer and Door Snugger

Adjustable Wire Freezer Shelf

2 Ice Trays

2 Freezer Door Racks Optional Ice Maker Kit (IM220) White Color







The Gibson MRTC18V3MW refrigerator is designed with contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance.

This model has earned an 'A+' Energy Rating which will save you money as well as save the environment. The new Deluxe Climate Controlled Defrost allows the defrost cycle to occur as necessary according to climate and usage conditions, even in the event of frequent power outages. The result is energy savings for you. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson refrigerator.

## Gibson ISO 9001 & 14001 7 YEAR WARRANTY

CERTIFIED FACILITY

10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRTC18V3MW-B

MODEL	MRTC18V3MW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	467 / 16.5
ISO Gross Capacity (L/cu ft)	462 / 16.3
ISO Frozen Food Capacity (L/cu ft)	97 / 3.4
SYSTEM FEATURES	
100 % Frost Free	Yes
Euro Energy Rating	A+
Climate Class	T - Tropical
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Automatic Ice Maker/Kit Number	Optional / IM220
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1625 / 64
Width (mm/in)	721 / 28.4
Depth (mm/in)	746 / 29.4
Net Weight (kg/lb)	80 / 175
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1689 / 66.5
Width (mm/in)	743 / 29.25
Depth (mm/in)	794 / 31.25
Gross Weight (kg/lb)	86 / 190
Container Loading (20'/40'/40'HC)	21 / 42 / 63



- 3 Full-Width Glass Refrigerator Shelves
- 2 Ultra Humidity-Controlled Crisper Bins with Cover Shelf
- Snack Storage Compartment Covered Dairy Compartment
- 2 Full-Width and 1 Half-Width Refrigerator Door Racks
- 2 Tall Bottle Retainers and 2 Door Snuggers

Adjustable Wire Freezer Shelf Ice Tray Shelf, 2 Ice Trays and Ice Server

2 Freezer Door Racks Optional Ice Maker Kit (IM220) White Color



ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRTG15V6MW-A







The Gibson MRTG15V6MW refrigerator is designed with contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance.

This model has earned an 'A' Energy Rating which will save you money as well as save the environment. The new Deluxe Climate Controlled Defrost allows the defrost cycle to occur as necessary according to climate and usage conditions, even in the event of frequent power outages. The result is energy

savings for you. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

rrequerit power outages. The result is energy	
MODEL	MRTG15V6MW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	419 / 14.8
ISO Gross Capacity (L/cu ft)	413 / 14.6
ISO Frozen Food Capacity (L/cu ft)	97 / 3.4
SYSTEM FEATURES	
100 % Frost Free	Yes
Euro Energy Rating	Α
Climate Class	T - Tropical
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Automatic Ice Maker/Kit Number	Optional / IM220
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1499 / 59
Width (mm/in)	721 / 28.4
Depth (mm/in)	746 / 29.4
Net Weight (kg/lb)	73 / 160
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1568 / 61.75
Width (mm/in)	743 / 29.25
Depth (mm/in)	787 / 31
Gross Weight (kg/lb)	80 / 175
Container Loading (20'/40'/40'HC)	21 / 45 / 67



- 3 Full-Width Wire Refrigerator Shelves
- 2 Ultra Humidity-Controlled Crisper Bins with Cover Shelf

**Covered Dairy Compartment** 

2 Full-Width and 1 Half-Width Refrigerator Door Racks

Tall Bottle Retainer and Door Snugger

Adjustable Wire Freezer Shelf

2 Ice Trays

2 Freezer Door Racks

Optional Ice Maker Kit (IM220) White Color







The Gibson MRTD15V4MW refrigerator is designed with contoured handles that are easy to grasp and create a distinctive flair to the exterior appearance.

This model has earned an 'A' Energy Rating which will save you money as well as save the environment. The new Deluxe Climate Controlled Defrost allows the defrost cycle to occur as necessary according to climate and usage conditions, even in the event of frequent power outages. The result is energy

savings for you. Your fruits and vegetables will last longer when stored in the Ultra Humidity-Controlled Crisper Bins.

A POS sticker located on the inside explains the 'Peace of Mind' 7-Year Sealed System Warranty and other feature benefits.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson refrigerator.

### Gibson 7 YEAR WARRANTY

ISO 9001 & 14001 CERTIFIED FACILITY

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A.

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRTD15V4MW-A

MODEL	MRTD15V4MW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	419 / 14.8
ISO Gross Capacity (L/cu ft)	413 / 14.6
ISO Frozen Food Capacity (L/cu ft)	97 / 3.4
SYSTEM FEATURES	
100 % Frost Free	Yes
Euro Energy Rating	Α
Climate Class	T - Tropical
Galvanized Steel Cabinet	Yes
2 Adjustable & 2 Fixed Rollers	Yes
Automatic Ice Maker/Kit Number	Optional / IM220
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1499 / 59
Width (mm/in)	721 / 28.4
Depth (mm/in)	746 / 29.4
Net Weight (kg/lb)	73 / 160
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1568 / 61.75
Width (mm/in)	743 / 29.25
Depth (mm/in)	787 / 31
Gross Weight (kg/lb)	80 / 175
Container Loading (20'/40'/40'HC)	21 / 45 / 67



Easy Clean Stainless Steel Door with Grey Cabinet Frost Free Operation 2 Adjustable Wire Shelves 2 Fixed Wire Shelves 2 Full-Width Sliding Baskets Hanging Shelf 5 Half-Width Adjustable Door Bins, 1 Full-Width Fixed Bin and 1 Full-Width Tilt-Out Bin

Adjustable Temperature Control

Interior Light



The new Gibson MRA21V7MS all refrigerator is designed to make organizing your fresh foods easier. With numerous convenient compartments like the 5 Adjustable Door Bins, 4 Wire Shelves, Hanging Shelf and 2 Full-Width Sliding Baskets, the MRA21 has a place for large and small items. It also provides abundant space for large platters of food and a surplus of fruit and vegetables.

The Easy Clean Stainless Steel Door has a protective coating that reduces visible fingerprints and smudges.

MODEL

Voltage, Hertz

With Frost Free Operation, you are relieved of the burdensome chore of defrosting the freezer. The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the refrigerator's sealed system.

Pair the MRA21V7MS with matching upright freezer MUFF21V7MS for a Kitchen Combo with an enormous capacity of 1182 liters!

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson all refrigerator.

MRA21V7MS

220-240, 50/60

12 / 28 / 28

Voltage, Fichtz	220-240, 30/00
AHAM Net Capacity (L/cu ft)	581 / 20.5
SYSTEM FEATURES	
100 % Frost Free	Yes
Textured Steel Cabinet	Yes
Euro Energy Rating	В
Climate Class*	T
Door Closer	Yes
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1811 /71.3
Height - Cabinet only (mm/in)	1793 / 70.6
Width (mm/in)	813 / 32
Depth with Door (mm/in)	726 / 28.6
Net Weight (kg/lb)	107 / 235
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1879.5 / 74
Width (mm/in)	889 / 35
Depth with Door (mm/in)	851 / 33.5
Net Weight (kg/lb)	117 / 258



ISO 9002 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRA21V7MS-A

Container Loading (20'/40'/40'HC)



Frost Free Operation
Adjustable Temperature Control
2 Adjustable and 2 Fixed Wire
Shelves
2 Full-Width Sliding Baskets
Hanging Shelf
5 Adjustable Door Bins, 1 Fixed
Bin and 1 Tilt-Out Bin
Interior Light
Textured Steel Cabinet and Door
White Color





The Gibson MRA21V7HW all refrigerator is designed to make organizing your fresh foods easier. With numerous convenient compartments like the 5 Adjustable Door Bins, 4 Wire Shelves, Hanging Shelf and 2 Full-Width Sliding Baskets, the MRA21 has a place for large and small items. It also provides abundant space for large platters of food and a surplus of fruit and vegetables.

With Frost Free Operation, you are relieved of the burdensome chore of defrosting the

freezer. The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the refrigerator's sealed system.

Pair the MRA21V7HW with matching upright freezer MUFF21VLHW for a Kitchen Combo with an enormous capacity of 1182 liters!

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson all refrigerator.

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A.

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRA21V7HW-A

MODEL	MRA21V7HW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	581 / 20.5
SYSTEM FEATURES	
100 % Frost Free	Yes
Textured Steel Cabinet	Yes
Euro Energy Rating	В
Climate Class*	T
Door Closer	Yes
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1811 / 71.3
Width (mm/in)	813 / 32
Depth (mm/in)	726 / 28.6
Net Weight (kg/lb)	107 / 235
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1879.5 / 74
Width (mm/in)	889 / 35
Depth (mm/in)	851 / 33.5
Gross Weight (kg/lb)	117 / 258
Container Loading (20'/40'/40'HC)	12 / 28 / 28
*Climatic Class of the Appliance per IEC 4022E 2.3	0.4



Easy Clean Stainless Steel Door with Grey Cabinet **Frost Free Operation** Cold Pro Plus Electronic Controls and Display with Safety Lock High Temperature Alarm Door Ajar Alarm Power Failure Alarm Fresh Air Filter Superior LED Lighting 3 Cantilever SpillFree Glass Shelves **Humidity Controlled Crisper with** Glass Cover Shelf and 2 Dividers Full-Width Snack Compartment **Covered Dairy Compartment** 2 Full-Width and 4 Half-Width Adjustable Door Bins Tall Bottle Retainer **Dynamic Condenser** 



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-MRAD19V9KS-A



The new Gibson MRAD19V9KS all refrigerator is designed to make organizing your fresh foods easier. With numerous convenient compartments like the 4 Adjustable Door Bins and 2 Fixed Door Bins, 3 Glass Shelves, Snack Compartment and Dairy Compartment, the MRAD19 has a place for large and small items. It also provides abundant space for large platters of food and a surplus of fruit and vegetables.

The Easy Clean Stainless Steel Door has a protective coating that reduces visible fingerprints and smudges.

This model is designed with Cold Pro Plus Electronic Controls and Display on the interior. You can set the exact temperature on the display as well as activate the Safety Lock. The alarms alert you when the interior temperature rises to an unsafe level, power is lost or the door is left open. The



Fresh Air Filter removes odors from the freezer to keep your foods tasting fresh. The Superior LED Lighting gradually intensifies after you open the door and makes it easier to find your stored foods.

With Frost Free Operation, you are relieved of the burdensome chore of defrosting the freezer. The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the refrigerator's sealed system.

Pair this model with its companion upright freezer MUFD19V9KS for 1048 liters of fresh and frozen food storage. For a built-in look, add optional trim kit TRIMKITEZ2 for the pair and TRIMKITEZ1 for the refrigerator only.

	Gibsori ali reirigerator.
MODEL	MRAD19V9KS
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	524 / 18.5
SYSTEM FEATURES	
100 % Frost Free	Yes
Climate Class*	T
Euro Energy Rating	В
Optional Built-In Trim Kit	TRIMKITEZ1 (single)
	TRIMKITEZ2 (dual)
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1813 /71.4
Height - Cabinet only (mm/in)	1793 / 70.6
Width (mm/in)	813 / 32
Depth with Door (mm/in)	673 / 26.5
Net Weight (kg/lb)	113 / 250
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1879.5 / 74
Width (mm/in)	889 / 35
Depth (mm/in)	851 / 33.5
Net Weight (kg/lb)	117 / 258
Container Loading (20'/40'/40'HC)	14 / 30 / 30

<sup>\*</sup> Climatic Class of the Appliance per IEC 60335-2-24



Frost Free Operation Easy Clean Stainless Steel Door Adjustable Temperature Control 3 Cantilever Glass Shelves 2 Crisper Bins with Glass Cover Shelf **Snack Drawer Covered Dairy Compartment** 4 Large Adjustable Door Bins and 1 Fixed Bin Interior Light **Textured Steel Cabinet** 





Make a statement in your kitchen with the Gibson Easy Clean stainless steel all refrigerator! This model can be coupled with upright freezer model MUFD17V9GS and a stainless steel trim kit(shown above) to create the "Kitchen Combo" which offers a combined capacity of 946 liters / 34 cu.ft. for fresh and frozen foods.

The Easy Clean Stainless Steel with a protective coating on the doors reduces smudges and fingerprints.

With Frost Free Operation, you are relieved of the burdensome chore of defrosting the refrigerator. The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the refrigerator's sealed system.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson all refrigerator.

Charlotte, NC 28262 U.S.A

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Electrolux Home Products, Inc. 2012 G12RF-MRAD17V9GS-A

MODEL	MRAD17V9GS
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	473 / 16.7
SYSTEM FEATURES	
100 % Frost Free	Yes
Textured Steel Cabinet	Yes
Euro Energy Rating	В
Climate Class*	T
Door Closer	Yes
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1671 / 65.8
Width (mm/in)	813 / 32
Depth (mm/in)	675 / 26.6
Net Weight (kg/lb)	103 / 226
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1728 / 68
Width (mm/in)	889 / 35
Depth (mm/in)	800 / 31.5
Gross Weight (kg/lb)	107 / 235
Container Loading (20'/40'/40'HC)	14 / 30 / 45





ISO 9002 & 14001 CERTIFIED FACILITY 21



Frost Free Operation Adjustable Temperature Control

- 1 Adjustable and 3 Fixed Wire Shelves
- 2 Full-Width Sliding Baskets
- 5 Adjustable Door Bins, 1 Fixed Bin and 1 Tilt-Out Bin

Interior Light

Textured Steel Cabinet and Door White Color





The Gibson MRA17V6HW all refrigerator is designed to make organizing your fresh foods easier. With numerous convenient compartments like the 5 Adjustable Door Bins, 4 Wire Shelves, and 2 Full-Width Sliding Baskets, the MRA17 has a place for large and small items. It also provides abundant space for large platters of food and a surplus of fruit and vegetables.

With Frost Free Operation, you are relieved of the burdensome chore of defrosting the freezer. The unique 'Peace of Mind' 7-Year

Sealed System Warranty is a special guarantee that covers the compressor and all parts of the refrigerator's sealed system.

Pair the MRA17V6HW with matching upright freezer MUFF17VLHW for a Kitchen Combo with an enormous capacity of 946

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson all refrigerator.

Charlotte, NC 28262 U.S.A

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Electrolux Home Products, Inc. 2012 G12RF-MRA17V6HW-A

MODEL	MRA17V6HW
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	473 / 16.7
SYSTEM FEATURES	
100 % Frost Free	Yes
Textured Steel Cabinet	Yes
Euro Energy Rating	В
Climate Class*	T
Door Closer	Yes
Approvals	TUV, CE, RoHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1671 / 65.8
Width (mm/in)	813 / 32
Depth (mm/in)	675 / 26.6
Net Weight (kg/lb)	91 / 200
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1728 / 68
Width (mm/in)	889 / 35
Depth (mm/in)	800 / 31.5
Gross Weight (kg/lb)	95 / 208
Container Loading (20'/40'/40'HC)	14 / 30 / 45



Gibson

ISO 9002 & 14001 CERTIFIED FACILITY 22





## **Bottom Mount Refrigerator**

Frost Free Operation
R134A Refrigerant
3 Glass Refrigerator Shelves
2 Crisper Bins
Dairy Compartment
4 Half-Width Adjustable and
2 Full-Width Fixed Door Bins
Bottle Shelf
Egg Holder

3 Freezer Drawers Ice Cube Tray Reversible Doors Stainless Steel





The Gibson GROH33GGCST bottom mount refrigerator has frost free operation and is designed with classic stainless steel.

The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the refrigerator's sealed system.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson refrigerator.

		ı
		ı
		ı
		ı
		ı
		ı
		ı
		ı
		ı
		ı
		ı
		ı
		ı
		ı

Gibson

WARRANTY

## ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-GROH33GGCST-A

MODEL	CDOLISSCOCCT
MODEL	GROH33GGCST
Voltage, Hertz	220-240, 50
Plug	British
Net Volume (L/cu ft)	322 / 11.4
Refrigerator Net Volume (L/cu ft)	231 / 8.2
Freezer Net Volume Capacity (L/cu ft)	87 / 3
SYSTEM FEATURES	
Refrigerant	R134A
Energy Class	В
Climate Class	T
100% Frost Free	Yes
Reversible Doors	Yes
Rear Rollers	Yes
Approvals	-
Color	Stainless Steel
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1850 / 72.8
Width (mm/in)	600 / 23.6
Depth (mm/in)	650 / 25.6
Net Weight (kg/lb)	68 / 150
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1916 / 75.4
Width (mm/in)	664 / 26.1
Depth (mm/in)	713 / 28
Gross Weight (kg/lb)	73 / 160.9
Container Loading (40'/40'HC)	51 / 72
<b>.</b> ,	



Manual Defrost Built-In (External Door Panels Required)

R134A Refrigerant

- 4 Wire Refrigerator Shelves
- 2 Crisper Bins

**Dairy Compartment** 

4 Half-Width Adjustable and 2 Full-Width Fixed Door Racks

Egg Holder

Wire Freezer Shelf

Ice Cube Tray

**Reversible Doors** 

White Color



The Gibson GRJV22GGIWT top mount refrigerator is designed for built-in installation (door panels not included) and requires manual defrosting.

The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that

MODEL



covers the compressor and all parts of the refrigerator's sealed system.

GRJV22GGIWT

600 / 23.6

46.5 / 102.5

107 / 133

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson refrigerator.

Voltage, Hertz	220-240, 50
Plug	British
Net Volume (L/cu ft)	218 / 7.7
Refrigerator Net Volume (L/cu ft)	176 / 6.2
Freezer Net Volume Capacity (L/cu ft)	42 / 1.5
SYSTEM FEATURES	
Refrigerant	R134A
Energy Class	В
Climate Class	T
100% Frost Free	No
Reversible Doors	Yes
Door Handle	Integrated
Leveling Feet	Yes
Approvals	CE, RoHS
Color*	White
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1445 / 56.9
Width (mm/in)	540 / 21.3
Depth (mm/in)	545 / 21.5
Net Weight (kg/lb)	42.3 / 93.3
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1509 / 59.4
Width (mm/in)	584 / 23

\* Decorative panels required (not included)

Container Loading (40'/40'HC)

Depth (mm/in)

Gross Weight (kg/lb)

## ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson

WARRANTY

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RF-GRJV22GGIWT-A





Easy Clean Stainless Steel Door with Grey Textured Steel Exterior Frost Free Operation
Adjustable Temperature Control
Left Door Swing
4 Wire Freezer Shelves
3 Adjustable Shelf Organizers
2 Sliding Freezer Baskets with Adjustable Organizers
6 Door Racks
Interior Light





For maximum frozen food storage, invest in a new Gibson MUFF21VLMS upright freezer. These models are built in the US according to strict quality standards with numerous safety and convenience features. The Adjustable Organizers make it easier to keep your food organized and visible.

With Frost Free Operation, you are relieved of the burdensome chore of defrosting the freezer

The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the freezer's sealed system.

Pair the MUFF21VLMS upright freezer with the MRA21V7MS all refrigerator for 1162 liters of fresh and frozen food capacity.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson upright freezer.

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A.

www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12FF-MUFF21VLMS-A

MODEL Voltage, Hertz AHAM Net Capacity (L/cu ft) SYSTEM FEATURES	MUFF21VLMS 220-240, 50/60 581 / 20.5
100% Frost Free	Yes
Climate Class*	T
Dynamic Condenser	No
Euro Energy Rating	В
Door Swing	Left
Approvals	TUV, CE, RoHS SASO, TER
Cabinet Color	Grey
Door Color	Stainless Steel
UNIT DIMENSIONS & WEIGHT	
Height with Hinge (mm/in)	1811 / 71.3
Height - Cabinet Only (mm/in)	1793 / 70.6
Width (mm/in)	813 / 32
Depth with Door (mm/in)	726 / 28.6
Net Weight (kg/lb)	107 / 235
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1879.5 / 74
Width (mm/in)	889 / 35
Depth (mm/in)	851 / 33.5
Gross Weight (kg/lb)	117 / 258
Container Loading (20'/40'/40'HC)	12 / 28 / 28





Frost Free Operation Cold Pro Electronic Controls and Display

High Temperature Alarm Door Ajar Alarm Right Door Swing

4 Wire Shelves

White Color

- 3 Adjustable Shelf Organizers (MUFF21)
- 2 Adjustable Shelf Organizers (MUFF17)
- 2 Sliding Storage Baskets with Adjustable Organizers and 6 Door Racks (MUFF21)

Sliding Storage Basket and 5 Door Racks (MUFF17) Interior Light Lock with Pop-Out Key Commercial Rating Textured Steel Exterior

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12FF-MUFF21V7HW+-A





For maximum frozen food storage, invest in a Gibson upright freezer. These models are built in the US according to strict quality standards with numerous safety and convenience features. The Adjustable Organizers make it easier to keep your food organized and visible.

These models are designed with Cold Pro electronic controls and display on the exterior of the door. You can set one of seven temperature levels on the display. The alarms alert you when the interior temperature rises above -5 Celsius or the door is left open.

With Frost Free Operation, you are relieved of the burdensome chore of defrosting the

freezer. The handy Lock with Pop-Out Key keeps the door closed and securely locked whenever you need to control access.

The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the freezer's sealed system. These models also earned a Commercial Rating, which means that they are suitable for use in a home or a commercial business.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson upright freezer.

MODEL	MUFF21V7HW	MUFF17V6HW
Voltage, Hertz	220-240, 50/60	220-240, 50/60
AHAM Net Capacity (L/cu ft)	581 / 20.5	473 / 16.7
SYSTEM FEATURES		
100% Frost Free	Yes	Yes
Climate Class*	T	T
Dynamic Condenser	No	No
Euro Energy Rating	В	В
Door Swing	Right	Right
Approvals	TUV, CĔ, RoHS	TUV, CĔ, RoHS
Cabinet Color	White	White
Door Color	White	White
UNIT DIMENSIONS & WEIGHT		
Height with Hinge (mm/in)	1811 / 71.3	1671 / 65.8
Height - Cabinet Only (mm/in)	1793 / 70.6	1653 / 65.1
Width (mm/in)	813 / 32	813 / 32
Depth with Door (mm/in)	726 / 28.6	675 / 26.6
Net Weight (kg/lb)	107 / 235	91 / 200
CARTON DIMENSIONS & WEIGH	IT	
Height with Hinge (mm/in)	1879.5 / 74	1728 / 68
Width (mm/in)	889 / 35	889 / 35
Depth with Door (mm/in)	851 / 33.5	800 / 31.5
Net Weight (kg/lb)	117 / 258	95 / 208
Container Loading (20'/40'/40'HC	) 12/28/28	14 / 30 / 45





<sup>\*</sup> Climatic Class of the Appliance per IEC 60335-2-24



Frost Free Operation
Adjustable Temperature Control
Left Door Swing

- 4 Wire Shelves
- 3 Adjustable Shelf Organizers (MUFF21)
- 2 Adjustable Shelf Organizers (MUFF17)
- 2 Sliding Storage Baskets with Adjustable Organizers and 6 Door Racks (MUFF21)

Sliding Storage Basket and 5 Door Racks (MUFF17) Interior Light Lock with Pop-Out Key

Lock with Pop-Out Key Commercial Rating Textured Steel Exterior White Color

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.qibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12FF-MUFF21VLHW+-A





For maximum frozen food storage, invest in a Gibson upright freezer. These models are built in the US according to strict quality standards with numerous safety and convenience features. The new Adjustable Organizers make it easier to keep your food organized and visible.

The MUFF21VLHW and MUFF17VLHW have a left hand door swing and can be combined with the MRA21 or MRA17 to create the "Kitchen Combo". Each offers a combined capacity of 1,162 liters / 41 cu.ft or 946 liters / 34 cu.ft., respectively, for fresh and frozen foods.

With Frost Free Operation, you are relieved of the burdensome chore of defrosting the

freezer. The handy Lock with Pop-Out Key keeps the door closed and securely locked whenever you need to control access.

The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the freezer's sealed system. This model also earned a Commercial Rating, which means that it is suitable for use in a home or a commercial business.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson upright freezer.

MODEL	MUFF21VLHW	
Voltage, Hertz	220-240, 50/60	220-240, 50/60
AHAM Net Capacity (L/cu ft)	581 / 20.5	473 / 16.7
SYSTEM FEATURES		
100% Frost Free	Yes	Yes
Climate Class*	T	T
Dynamic Condenser	No	No
Euro Energy Rating	В	В
Door Swing	Left	Left
Approvals	TUV, CE, RoHS	TUV, CE, RoHS
Cabinet Color	White	White
Door Color	White	White
UNIT DIMENSIONS & WEIGHT		
Height with Hinge (mm/in)	1811 / 71.3	1671 / 65.8
Height - Cabinet Only (mm/in)	1793 / 70.6	1653 / 65.1
Width (mm/in)	813 / 32	813 / 32
Depth with Door (mm/in)	726 / 28.6	675 / 26.6
Net Weight (kg/lb)	107 / 235	91 / 200
CARTON DIMENSIONS & WEIGH	IT	
Height with Hinge (mm/in)	1879.5 / 74	1728 / 68
Width (mm/in)	889 / 35	889 / 35
Depth with Door (mm/in)	851 / 33.5	800 / 31.5
Net Weight (kg/lb)	117 / 258	95 / 208
Container Loading (20'/40'/40'HC	) 12/28/28	14 / 30 / 45
	,	





<sup>\*</sup> Climatic Class of the Appliance per IEC 60335-2-24

Easy Clean Stainless Steel Door with Grey Cabinet Frost Free Operation Cold Pro Plus Electronic Controls and Display with Safety Lock High Temperature Alarm Door Ajar Alarm Power Failure Alarm Extreme Freeze Super Chill Airflow Fresh Air Filter Superior LED Lighting 3 Glass Shelves 2 Sliding Storage Baskets with Adjustable Organizers 5 Adjustable Door Bins, 1 Fixed Bin and 1 Tilt-Out Bin Interior Light **Dynamic Condenser Left Door Swing** 



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12FF-MUFD19V9KS-A



new Gibson 19 cu.rt. uprignt freezer. This new model is built in the US according to strict quality standards with numerous safety and convenience features. The Easy Clean Stainless Steel Door has a protective coating that reduces visible fingerprints and smudges.

The MUFD19V9KS is designed with Cold Pro Plus Electronic Controls and Display on the interior. You can set the exact temperature on the display as well as activate the Safety Lock and Extreme Freeze functions. Extreme Freeze increases freeze time by 33% when you need to freeze food quickly. The alarms alert you when the interior temperature rises above -5 Celsius, power is lost or the door is left open.

Super Chill Airflow is created with two louvered ports that provide multi-directional airflow for superior and consistent freezing.



The Fresh Air Filter removes odors from the freezer to keep your foods tasting fresh. The Superior LED Lighting gradually intensifies after you open the door and makes it easier to find your stored foods.

With Frost Free Operation, you are relieved of the burdensome chore of defrosting the freezer. The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the freezer's sealed system.

Pair this model with its companion all refrigerator MRAD19V9KS for 1048 liters of fresh and frozen food storage. For a built-in look, add optional trim kit TRIMKITEZ2 for the pair and TRIMKITEZ1 for the freezer only.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson upright freezer.

MODEL Voltage, Hertz	MUFD19V9KS 220-240, 50/60
Capacity (L/cu ft)	524 / 18.5
SYSTEM FEATURES	
100% Frost Free	Yes
Climate Class*	T
Euro Energy Rating	В
Door Swing	Left
Optional Built-In Trim Kit	TRIMKITEZ1 (single)
•	TRIMKITEZ2 (dual)
Approvals	TUV, CE, ROHS
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1813 /71.4
Height - Cabinet only (mm/in)	1793 / 70.6
Width (mm/in)	813 / 32
Depth with Door (mm/in)	673 / 26.5
Net Weight (kg/lb)	111 / 245
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1861 / 73.25
Width (mm/in)	861 / 33.9
Depth (mm/in)	776 / 30.6
Net Weight (kg/lb)	116 / 255
Container Loading (20'/40'/40'HC)	14 / 30 / 30



CERTIFIED FACILITY

Gibson

\* Climatic Class of the Appliance per IEC 60335-2-24



Frost Free Operation Easy Clean Stainless Steel Door Adjustable Temperature Control 3 Cantilever Glass Shelves 2 Sliding Storage Baskets 3 Full-Width Fixed Bins and 2 Tilt-Out Bins Interior Light Power-On Light Black Textured Steel Cabinet **Commercial Rating** 





Make a statement in your kitchen with the Gibson Easy Clean stainless steel upright freezer! This model can be coupled with all refrigerator model MRAD17V9GS and a stainless steel trim kit(shown above) to create the "Kitchen Combo" which offers a combined capacity of 946 liters / 34 cu.ft. for fresh and frozen foods.

The Easy Clean Stainless Steel with a protective coating on the doors reduces smudges and fingerprints.

The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the freezer's sealed system.

This model also earned a Commercial Rating, which means that it is suitable for use in a home or a commercial business. You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson upright

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12FF-MUFD17V9GS-A

MODEL	MUFD17V9GS
Voltage, Hertz	220-240, 50/60
AHAM Net Capacity (L/cu ft)	473 / 16.7
SYSTEM FEATURES	
100% Frost Free	Yes
Climate Class*	T
Dynamic Condenser	Yes
Euro Energy Rating	В
Door Swing	Left
Approvals	TUV, CE, RoHS
Cabinet Color	Black
Door Color	Easy Clean Stainless Steel
UNIT DIMENSIONS & WEIGHT	
Height with Hinge (mm/in)	1671 / 65.8
Height - Cabinet Only (mm/in)	1653 / 65.1
Width (mm/in)	813 / 32
Depth with Door (mm/in)	673 / 26.5
Net Weight (kg/lb)	97 / 214
CARTON DIMENSIONS & WEIGHT	
Height with Hinge (mm/in)	1728 / 68
Width (mm/in)	889 / 35
Depth with Door (mm/in)	800 / 31.5
Net Weight (kg/lb)	106 / 225

14/30/45



CERTIFIED FACILITY

Container Loading (20'/40'/40'HC)

<sup>\*</sup> Climatic Class of the Appliance per 60335-2-24



## **Chest Freezers**

Adjustable Temperature Control Interior Light 3 Removable Baskets (MFC25 and MFC20) 2 Removable Baskets (MFC15) Lock with Pop-Out Key Power-On Light **Frost Indicator Button** 

Manual Defrost **Defrost Drain** Textured Steel Exterior and Interior

White Color



Gibson International Company 10200 David Taylor Drive

Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12FF-MFC25V7GW+-A



For maximum frozen food storage, invest in use in a home or a commercial business. a Gibson large-sized chest freezer.

The freezer temperature can be easily regulated by the Adjustable Control for a fully stocked or minimally stocked freezer. The Power-On Indicator Light assures you that power is going to the freezer and that your food is safe. The handy Lock with Pop-Out Key allows you to restrict access to the freezer if necessary.

These models have received a Commercial Rating, which means that they are suitable for

The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the freezer's sealed system.





MODELS Voltage, Hertz Capacity (L/cu ft) SYSTEM FEATURES	MFC25V7GW 220-240, 50/60 708 / 25.0	MFC20V6GW 220-240, 50/60 566 / 20.0	MFC15V6GW 220-240, 50/60 425 / 15.0
Defrost Type Climate Class*	Manual T	Manual T	Manual T
Euro Energy Rating Approvals	C TUV, CE, RoHS	C TUV, CE, RoHS	C TUV, CE, RoHS
Color	White	White	White
UNIT DIMENSIONS & WEIGHT Height (mm/in)	889 / 35	889 / 35	889 / 35
Width (mm/in)	1861 / 73.2	1556 / 61.2	1219 / 48
Depth (mm/in) Net Weight (kg/lb)	749 / 29.5 93 / 205	749 / 29.5 77 / 169	749 / 29.5 67 / 149
CARTON DIMENSIONS & WEIGHT	000 / 0/ 7		000 / 0 / 7
Height (mm/in) Width (mm/in)	933 / 36.7 1930 / 76	933 / 36.7 1626 / 64	933 / 36.7 1295 / 51
Depth (mm/in)	838 / 33	838 / 33	838 / 33
Net Weight (kg/lb) Container Loading (20'/40'/40'HC)	108 / 238 14 / 28 / 28	97 / 213 14 / 28 / 28	73 / 162 22 / 46 / 46

<sup>\*</sup> Climatic Class of the Appliance per IEC60335-2-24

### **Chest Freezers**

GFBR34G\*AWJR (220-240V, 50Hz) GFCR34GGAWJ^ (220-240V, 50Hz) GFCR34DGAWJ (220V, 60Hz)

GFBR30G\*AWJR (220-240V, 50Hz) GFCR30GGAWJ^ (220-240V, 50Hz) GFCR30DGAWJ (220V, 60Hz)

Interior Light 2 Removable Storage Baskets Wire Divider

GFBR22G\*AWJR (220-240V, 50Hz) GFCR22GGAWJ^ (220-240V, 50Hz) GFCR22DGAWJ (220V, 60Hz)

GFBR18G\*AWJR (220-240V, 50Hz) GFCR18GGAWJ^ (220-240V, 50Hz) GFCR18DGAWJ (220V, 60Hz)

Removable Storage Basket Wire Divider (GFBR22/GFCR22 only)

GFBR13G\*AWJR (220-240V, 50Hz) GFCR13GGAWJ^ (220-240V, 50Hz) GFCR13DGAWJ (220V, 60Hz)

GFBR11G\*AWJR (220-240V, 50Hz) GFCR11GGAWJ^ (220-240V, 50Hz) GFCR11DGAWJ (220V, 60Hz)

Removable Storage Basket

#### Additional Features

Adjustable Temperature Control Quick Freeze **Defrost Drain** Easy Glide Rollers Lock with Key **Aluminum Cabinet Liner** White Color

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12FF-GFBR34GFAWJR+-A



338 Liter and 298 Liter Models



218 Liter and 178 Liter Models



128 Liter and 108 Liter Models

For maximum frozen food storage, invest in a Gibson mid-sized or compact chest freezer. Models range in size from 349 liters to 112 liters.

The freezer temperature can be easily regulated by the Adjustable Control for a fully stocked or minimally stocked freezer. The Quick Freeze option allows you to quickly freeze items to lock in freshness. The handy Lock with Key allows you to restrict access to the freezer if necessary. The Easy Glide Rollers make it simple to move the freezer to another location.

The unique 'Peace of Mind' 7-Year Sealed System Warranty is a special guarantee that covers the compressor and all parts of the freezer's sealed system.

You can have peace of mind knowing that your food is being preserved in ideal conditions in a Gibson chest freezer.

\* F=Schuko plug; G=British plug ^ Add a "T" for Tropical model





## Specifications - Chest Freezers

MODELS	GFBR34G*AWJR	GFBR30G*AWJR	GFBR22GFAWJR	GFBR18GFAWJR	GFBR13GFAWJR	GFBR11GFAWJR
Voltage, Hertz	220-240, 50	220-240, 50	220-240, 50	220-240, 50	220-240, 50	220-240, 50
ISO Net Capacity (L/cu ft)	338 / 11.94	298 / 10.53	218 / 7.70	178 / 6.29	128 / 4.52	108 / 3.82
ISO Total Gross Capacity (L/cu ft)	349 / 12.33	308 / 10.88	225 / 7.95	184 / 6.50	132 / 4.67	112 / 3.96
Energy Rating	С	С	В	В	В	В
Climate Class*	ST	ST	ST	ST	ST	ST
Refrigerant	R-600a	R-600a	R-600a	R-600a	R-600a	R-600a
Approvals	CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS
Bottom Type	Step	Step	Step	Flat	Step	Flat
UNIT DIMENSIONS & WEIGHT						
Height (mm/in)	920 / 36.22	932 / 36.69	932 / 36.69	932 / 36.69	932 / 36.69	932 / 36.69
Width (mm/in)	1110 / 43.70	1098 / 43.23	855 / 33.67	855 / 33.67	602 / 23.7	602 / 23.7
Depth (mm/in)	670 / 26.38	584 / 23.0	584 / 23.00	584 / 23.0	503 / 19.8	503 / 19.8
Net Weight (kg/lb)	54 / 119.07	46 / 101.43	38 / 83.79	38 / 83.79	30 / 66.15	30 / 66.15
Container Loading (20'/40'/40'HC)	30 / 64 / 88	32 / 72 / 95	40 / 88 / 113	40 / 88 / 113	70 / 144 / 192	70 / 144 / 192

<sup>\*</sup> F=Schuko plug; G=British plug

MODELS	GFCR34GGAWJ^	GFCR30GGAWJ^	GFCR22GGAWJ^	GFCR18GGAWJ^	GFCR13GGAWJ^	GFCR11GGAWJ^
Voltage, Hertz	220-240, 50	220-240, 50	220-240, 50	220-240, 50	220-240, 50	220-240, 50
ISO Net Capacity (L/cu ft)	338 / 11.94	298 / 10.53	218 / 7.70	178 / 6.29	128 / 4.52	108 / 3.82
ISO Total Gross Capacity (L/cu ft)	349 / 12.33	308 / 10.88	225 / 7.95	184 / 6.50	132 / 4.67	112 / 3.96
Energy Rating	С	С	В	В	В	В
Climate Class*	T	T	T	T	T	T
Refrigerant	R-134a	R-134a	R-134a	R-134a	R-134a	R-134a
Approvals	-	-	-	-	-	-
Bottom Type	Step	Step	Step	Flat	Step	Flat
UNIT DIMENSIONS & WEIGHT						
Height (mm/in)	920 / 36.22	932 / 36.69	932 / 36.69	932 / 36.69	932 / 36.69	932 / 36.69
Width (mm/in)	1110 / 43.70	1098 / 43.23	855 / 33.67	855 / 33.67	602 / 23.70	602 / 23.70
Depth (mm/in)	670 / 26.38	584 / 23.0	584 / 23.00	584 / 23.0	503 / 19.8	503 / 19.8
Net Weight (kg/lb)	54 / 119.07	46 / 101.43	38 / 83.79	38 / 83.79	30 / 66.15	30 / 66.15
Container Loading (20'/40'/40'HC)	30 / 64 / 88	32 / 72 / 95	40 / 88 / 113	40 / 88 / 113	70 / 144 / 192	70 / 144 / 192

 $<sup>^{\</sup>wedge}\, Add\ a\ "T"\ for\ Tropical\ model;\ Tropical\ models\ have\ "E"\ Energy\ rating\ and\ "T"\ climate\ class.$ 

MODELS	GFCR34DGAWJ	GFCR30DGAWJ	GFCR22DGAWJ	GFCR18DGAWJ	GFCR13DGAWJ	GFCR11DGAWJ
Voltage, Hertz	220, 60	220, 60	220, 60	220, 60	220, 60	220, 60
ISO Net Capacity (L/cu ft)	338 / 11.94	298 / 10.53	218 / 7.70	178 / 6.29	128 / 4.52	108 / 3.82
ISO Total Gross Capacity (L/cu ft)	349 / 12.33	308 / 10.88	225 / 7.95	184 / 6.50	132 / 4.67	112 / 3.96
Energy Rating	С	С	В	В	В	В
Climate Class*	T	T	T	T	T	T
Refrigerant	R-134a	R-134a	R-134a	R-134a	R-134a	R-134a
Approvals	-	-	-	-	-	-
Bottom Type	Step	Step	Step	Flat	Step	Flat
UNIT DIMENSIONS & WEIGHT						
Height (mm/in)	920 / 36.22	932 / 36.69	932 / 36.69	932 / 36.69	932 / 36.69	932 / 36.69
Width (mm/in)	1110 / 43.70	1098 / 43.23	855 / 33.67	855 / 33.67	602 / 23.70	602 / 23.70
Depth (mm/in)	670 / 26.38	584 / 23.0	584 / 23.00	584 / 23.0	503 / 19.8	503 / 19.8
Net Weight (kg/lb)	54 / 119.07	46 / 101.43	38 / 83.79	38 / 83.79	30 / 66.15	30 / 66.15
Container Loading (20'/40'/40'HC)	30 / 64 / 88	32 / 72 / 95	40 / 88 / 113	40 / 88 / 113	70 / 144 / 192	70 / 144 / 192

<sup>\*</sup> Climatic Class of the Appliance per IEC 60335-2-24




## **Home Comfort**





**New Design** R410A Refrigerant **Evaporator with Electronic Display LCD Wireless Remote Control** 24-Hour On/Off Timer **Dual Action Bio/HEPA Filter Active Carbon Filter** Nylon Dust Filter **Automatic Swing Louver Control Automatic Restart** 4 Fan Settings (High, Medium, Low and Auto) **Dehumidification Function** Corrosion-Resistant Condenser Sleep Economy Mode My Temp Function Turbo Comfort\* Cool-Only Models in 9,000, 12,000, 18,000 and 24,000 BTU Self-Cleaning Evaporator Blue Fin Technology Diagnostic Maintenance System **Quiet Operation** White Evaporator

\* Not available on 24,000 BTU model





Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RS-GARC09GGBWM+-B



Note: Appearance of 24,000 BTU evaporator varies slightly



Introducing the new line of Gibson Grand System split air conditioners! The new evaporator has a sleek, smooth contemporary design along with a fashionable remote control. The My Temp function adjusts the room temperature according to where you and the remote control are located in the room and not evaporator. The Turbo Comfort function provides intense cooling to quickly achieve your desired temperature.

A set of three filters are combined to help improve the air quality in your home. The Bio/HEPA Filter removes 95% of bacteria with a special biological enzyme and traps 99% of dust that passes through it and 99.7% of all pollen, mold spores, animal hair and dander, dust mites, bacteria, smoke particles and dust that pass through it. The Active Carbon Filter removes unpleasant

odors from the air and traps small particles. The Nylon Filter is easy to clean and captures small dust particles.

If you select the Self-Cleaning option, the fan runs for a short period of time after the air conditioner has stopped running in order to prevent the growth of mold and odors in the evaporator. The evaporator is designed with Blue Fin Technology which helps it to operate more efficiently. In case of a malfunction, the Diagnostic Maintenance System identifies the problem and an error code is displayed on the evaporator.

You can have peace of mind knowing that a Gibson air conditioner will help to keep you comfortable.



MODELS	GARC09GGBWM	GARC12GGBWM	GARC18GNBWM	GARC24GNBWM
Voltage, Hertz	220-240, 50	220-240, 50	220-240, 50	220-240, 50
Туре	Cooling Only	Cooling Only	Cooling Only	Cooling Only
BTU/Hr (cool/heat)	9000	12000	18000	24000
SYSTEM FEATURES				
Amps (cool/heat)	3.58	4.79	7.18	9.57
Watts (cool/heat)	809	1079	1618	2158
Energy Class (EER / COP)	А	А	А	Α
Refrigerant	R410A	R410A	R410A	R410A
Compressor Type	Rotary	Rotary	Rotary	Rotary
Dehumidification (L/pints per hr)	0.8 / 1.7	1.4 / 3.0	1.8 / 3.8	2.4 / 5.1
Connection Pipe Liquid (mm/in)	6.35 / .25	6.35 / .25	6.35 / .25	6.35 / .25
Connection Pipe Gas (mm/in)	9.52 / .38	12.7 / .50	12.7 / .50	16.0 / .63
Approvals	IEC, RoHS	IEC, RoHS	IEC, RoHS	IEC, RoHS
Color	White	White	White	White
<b>EVAPORATOR DIMENSIONS &amp; WEIGHT</b>				
Height x Width x Depth (mm)	265 x 794 x 184	274 x 848 x 190	299 x 945 x 209	326 x 1178 x 252
Height x Width x Depth (in)	10.4 x 31.3 x 7.2	10.8 x 33.4 x 7.5	11.8 x 37.2 x 8.2	12.8 x 46.4 x 9.9
Net Weight (kg/lb)	9.0 / 19.8	10.0 / 22.0	12.0 / 26.4	18.0 / 39.6
CONDENSER DIMENSIONS & WEIGHT				
Height x Width x Depth (mm)	540 x 848 x 320	540 x 848 x 320	680 x 913 x 378	700 x 1018 x 412
Height x Width x Depth (in)	21.3 x 33.4 x 12.6	21.3 x 33.4 x 12.6	26.8 x 35.9 x 14.9	27.6 x 40.1 x 16.2
Net Weight (kg/lb)	25.0 / 55.0	34.0 / 74.8	46.0 / 101.2	56.0 / 123.2
CONTAINER LOADING				
20'/40'/40'HC without tubing kits	101 / 212 / 252	98 / 210 / 243	64 / 135 / 154	45 / 98 / 113



# Split Air Conditioners

**New Design** R22 Refrigerant **Evaporator with Electronic Display LCD Wireless Remote Control** 24-Hour On/Off Timer Dual Action Bio/HEPA Filter **Active Carbon Filter** Nylon Dust Filter **Automatic Swing Louver Control Automatic Restart** 4 Fan Settings (High, Medium, Low and Auto) **Dehumidification Function** Corrosion-Resistant Condenser Sleep Economy Mode My Temp Function Turbo Comfort Cool-Only Models in 9,000, 12,000, and 18,000 BTU Self-Cleaning Evaporator Blue Fin Technology Diagnostic Maintenance System **Quiet Operation** White Evaporator





Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RS-GASP09GFBWM+-B



Introducing the new line of Gibson Grand System split air conditioners! The new evaporator has a sleek, smooth contemporary design along with a fashionable remote control. The My Temp function adjusts the room temperature according to where you and the remote control are located in the room and not evaporator. The Turbo Comfort function provides intense cooling to quickly achieve your desired temperature.

A set of three filters are combined to help improve the air quality in your home. The Bio/HEPA Filter removes 95% of bacteria with a special biological enzyme and traps 99% of dust that passes through it and 99.7% of all pollen, mold spores, animal hair and dander, dust mites, bacteria, smoke particles and dust that pass through it. The Active Carbon Filter removes unpleasant

odors from the air and traps small particles. The Nylon Filter is easy to clean and captures small dust particles.

If you select the Self-Cleaning option, the fan runs for a short period of time after the air conditioner has stopped running in order to prevent the growth of mold and odors in the evaporator. The evaporator is designed with Blue Fin Technology which helps it to operate more efficiently. In case of a malfunction, the Diagnostic Maintenance System identifies the problem and an error code is displayed on the evaporator.

You can have peace of mind knowing that a Gibson air conditioner will help to keep you comfortable.



MODELS	GASP09GFBWM	GASP12GFBWM	GASP18GNBWM
Voltage, Hertz	220-240, 50	220-240 / 50	220-240 / 50
Туре	Heat Pump	Heat Pump	Heat Pump
BTU/Hr (cool/heat)	9000 / 9400	12000 / 12600	18000 / 18760
SYSTEM FEATURES			
Amps (cool/heat)	3.64 / 3.58	4.86 / 4.8	7.29 / 7.15
Watts (cool/heat)	822 / 808	1096 / 1083	1643 / 1612
Energy Class (EER / COP)	A/B	A/B	A/B
Refrigerant	R22	R22	R22
Compressor Type	Rotary	Rotary	Rotary
Dehumidification (L/pints per hr)	0.8 / 1.7	1.4 / 3.0	1.8 / 3.8
Connection Pipe Liquid (mm/in)	6.35 / .25	6.35 / .25	6.35 / .25
Connection Pipe Gas (mm/in)	9.52 / .38	12.7 / .50	12.7 / .50
Approvals	IEC, RoHS	IEC, RoHS	IEC, RoHS
Color	White	White	White
EVAPORATOR DIMENSIONS & WEIGHT			
Height x Width x Depth (mm)	265 x 794 x 184	274 x 848 x 190	299 x 945 x 209
Height x Width x Depth (in)	10.4 x 31.3 x 7.2	10.8 x 33.4 x 7.5	11.8 x 37.2 x 8.2
Net Weight (kg/lb)	9.0 / 19.8	10.0 / 22.0	12.0 / 26.4
CONDENSER DIMENSIONS & WEIGHT			
Height x Width x Depth (mm)	540 x 848 x 320	540 x 848 x 320	700 x 955 x 396
Height x Width x Depth (in)	21.3 x 33.4 x 12.6	21.3 x 33.4 x 12.6	27.6 x 37.6 x 15.6
Net Weight (kg/lb)	30.0 / 66.0	33.5 / 73.7	50.0 / 110.0
CONTAINER LOADING			
20'/40'/40'HC without tubing kits	101 / 212 / 252	98 / 210 / 243	60 / 127 / 148



## Split Air Conditioners

New Design
R22 Refrigerant
Evaporator with Electronic Display
LCD Wireless Remote Control
24-Hour On/Off Timer
Dual Action Bio/HEPA Filter
Active Carbon Filter
Nylon Dust Filter
Automatic Swing Louver Control
Automatic Restart

4 Fan Settings (High, Medium, Low and Auto)

Dehumidification Function Corrosion-Resistant Condenser Sleep Economy Mode My Temp Function Turbo Comfort\*

Cool-Only and Heat Pump/Cool Models in 18,000, 24,000 and 28,000 BTU (Rotary Compressor)

Cool-Only and Heat Pump/Cool Models in 18,000, 24,000 and 28,000 BTU (Reciprocating Compressor)

Warm Air Release (Heat Pump Models Only)

Self-Cleaning Evaporator
Blue Fin Technology
Diagnostic Maintenance System
Quiet Operation
White Evaporator

\* Not available on 28,000 BTU models

## ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com



Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RS-GATC18GNBWM+-B



Note: Appearance of 28,000 BTU evaporator varies slightly





Introducing the new line of Gibson Grand System split air conditioners! The new evaporator has a sleek, smooth contemporary design along with a fashionable remote control. The My Temp function adjusts the room temperature according to where you and the remote control are located in the room and not evaporator. The Turbo Comfort function provides intense cooling to quickly achieve your desired temperature. The Warm Air Release feature, in heat pump models, stops the evaporator from blowing air into the room in the heating mode until warm air can be expelled.

A set of three filters are combined to help improve the air quality in your home. The Bio/HEPA Filter removes 95% of bacteria with a special biological enzyme and traps 99% of dust that passes through it and 99.7% of all pollen, mold spores, animal hair and dander,

dust mites, bacteria, smoke particles and dust that pass through it. The Active Carbon Filter removes unpleasant odors from the air and traps small particles. The Nylon Filter is easy to clean and captures small dust particles.

If you select the Self-Cleaning option, the fan runs for a short period of time after the air conditioner has stopped running in order to prevent the growth of mold and odors in the evaporator. The evaporator and condenser on heat pump/cool models and the evaporator on cool-only models are designed with Blue Fin Technology which helps them to operate more efficiently. In case of a malfunction, the Diagnostic Maintenance System identifies the problem and an error code is displayed on the evaporator.

You can have peace of mind knowing that a Gibson air conditioner will help to keep you comfortable.



MODELS	GATC18GNBWM	GATP18GNBWM	GATC24GNBWM	GATP24GNBWM	GATC28GNBWM	GATP28GNBWM
Voltage, Hertz	220-240, 50	220-240, 50	220-240, 50	220-240, 50	220-240. 50	220-240, 50
Type	Cooling Only	Heat Pump	Cooling Only	Heat Pump	Cooling Only	Heat Pump
BTU/Hr (cool/heat)	17500	18000 / 18766	23000	24000 / 25000	27130	28000 / 30000
SYSTEM FEATURES	17000	100007 10700	20000	21000720000	27 100	200007 00000
Amps (cool/heat)	7.78	7.78 / 7.16	11.1	11.11 / 10.80	13.95	12.95 / 13.88
Watts (cool/heat)	1753	1753 / 1613	2500	2503 / 2434	3142	2918 / 3128
Energy Class (EER / COP)	B, UAE 5 Star	B/B	C, UAE 5 Star	C/C	D, UAE 3 Star	C/C
Refrigerant	R22	R22	R22	R22	R22	R22
Compressor Type	Rotary High Ambient					
Dehumidification (L/pints per hr)	1.8 / 3.8	1.8 / 3.8	2.4 / 5.1	2.4 / 5.1	3.0 / 6.3	3.0 / 6.3
Connection Pipe Liquid (mm/in)	6.35 / .25	6.35 / .25	6.35 / .25	6.35 / .25	6.35 / .25	6.35 / .25
Connection Pipe Gas (mm/in)	16.0 / .63	16.0 / .63	16.0 / .63	16.0 / .63	16.0 / .63	16.0 / .63
Approvals	IEC, RoHS					
Color	White	White	White	White	White	White
EVAPORATOR DIMENSIONS & \	WEIGHT					
Height x Width x Depth (mm)	299 x 945 x 209	299 x 945 x 209	315 x 1018 x 230	315 x 1018 x 230	326 x 1178 x 252	326 x 1178 x 252
Height x Width x Depth (in)	11.8 x 37.2 x 8.2	11.8 x 37.2 x 8.2	12.4 x 40.1 x 9.1	12.4 x 40.1 x 9.1	12.8 x 46.4 x 9.9	12.8 x 46.4 x 9.9
Net Weight (kg/lb)	12.0 / 26.4	12.0 / 26.4	15.0 / 33.0	15.0 / 33.0	18.0 / 39.6	18.0 / 39.6
CONDENSER DIMENSIONS & W	/EIGHT					
Height x Width x Depth (mm)	680 x 913 x 378	680 x 913 x 378	700 x 955 x 396	700 x 955 x 396	840 x 1018 x 412	790 x 980 x 427
Height x Width x Depth (in)	26.8 x 35.9 x 14.9	26.8 x 35.9 x 14.9	27.6 x 37.6 x 15.6	27.6 x 37.6 x 15.6	33.1 x 40.1 x 16.2	31.1 x 38.6 x 16.8
Net Weight (kg/lb)	44.0 / 96.8	49.0 / 107.8	57.0 / 125.4	58.0 / 127.6	69.0 / 151.8	68.0 / 149.6
CONTAINER LOADING						
20'/40'/40'HC without tubing kits	64 / 135 / 154	64 / 135 / 154	57 / 120 / 136	57 / 120 / 136	36 / 76 / 90	40 / 81 / 102

MODELS	GAHC18GNBWM	GAHP18GNBWM	GAHP24GNBWM	GAHC28GNBWM
Voltage, Hertz	220-240, 50	220-240, 50	220-240, 50	220-240, 50
Type	Cooling Only	Heat Pump	Heat Pump	Cooling Only
BTU/Hr (cool/heat)	17400	18000 / 18800	23000 / 25010	27100
SYSTEM FEATURES				
Amps (cool/heat)	8.32	8.32 / 8.11	10.65 / 10.80	13.94
Watts (cool/heat)	1877	1875 / 1827	2400 / 2435	3142
Energy Class (EER / COP)	C, UAE 5 Star	C/C	C/C	D, UAE 3 Star
Refrigerant	R22	R22	R22	R22
Compressor Type	Reciprocating High Ambient	Reciprocating High Ambient	Reciprocating High Ambient	Reciprocating High Ambient
Dehumidification (L/pints per hr)	1.8 / 3.8	1.8 / 3.8	2.4 / 5.1	3.0 / 6.3
Connection Pipe Liquid (mm/in)	6.35 / .25	6.35 / .25	6.35 / .25	6.35 / .25
Connection Pipe Gas (mm/in)	16.0 / .63	16.0 / .63	16.0 / .63	16.0 / .63
Approvals	IEC, RoHS	IEC, RoHS	IEC, RoHS	IEC, RoHS
Color	White	White	White	White
EVAPORATOR DIMENSIONS & WI	EIGHT			
Height x Width x Depth (mm)	299 x 945 x 209	299 x 945 x 209	315 x 1018 x 230	326 x 1178 x 252
Height x Width x Depth (in)	11.8 x 37.2 x 8.2	11.8 x 37.2 x 8.2	12.4 x 40.1 x 9.1	12.8 x 46.4 x 9.9
Net Weight (kg/lb)	12.0 / 26.4	12.0 / 26.4	15.0 / 33.0	18.0 / 39.6
CONDENSER DIMENSIONS & WE	IGHT			
Height x Width x Depth (mm)	700 x 1018 x 412	700 x 1018 x 412	700 x 1018 x 412	840 x 1018 x 412
Height x Width x Depth (in)	27.6 x 40.1 x 16.2	27.6 x 40.1 x 16.2	27.6 x 40.1 x 16.2	33.1 x 40.1 x 16.2
Net Weight (kg/lb)	59.0 / 129.8	62.0 / 136.4	69.0 / 151.8	73.0 / 160.6
CONTAINER LOADING				
20'/40'/40'HC without tubing kits	57 / 120 / 132	57 / 120 / 132	56 / 115 / 131	36 / 76 / 90







## Air Coolers

LCD Wireless Remote Control **Digital Display** 8-Hour Timer 3 Airflow Speeds **Automatic Louver Control** Sleep Function Ionizer **HEPA Filter** Washable Nylon Filter 6 Liter Water Tank Capacity **Humidifying System** Water Pump Shut Off Water Level Indicator Cooling Tank Ice Packs Cooling Only or Cool/Heat Heater Thermo Sensor Shut Off (Cool/Heat Models) White Color with Silver Trim



Keep the air in your room cool while humidifying and removing bacteria at the same time with a new Gibson air cooler.

You can program the 8-hour timer and other functions by using the LCD wireless remote control. The water tank has a capacity of 6 liters and can be cooled by ice packs that are provided.

The air in your room will be healthier to breath after it passes through the ionizer, HEPA

and nylon filters that remove bacteria, dust, germs, pollen and mold spores. The air cooler is also available with a heating element that can warm the air at the same time.

You can have peace of mind knowing that a Gibson air cooler will help to keep you comfortable.

## ISO 9001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com


Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AC-GPCC66GNAWD+-A

MODELS	GPCC66GNAWD	GPCH66GNAWD	GPCC66DNAWD	GPCH66DNAWD
Voltage, Hertz	220, 50	220, 50	220, 60	220, 60
Type	Cool Only	Cool & Heat	Cool Only	Cool & Heat
SYSTEM FEATURES				
Heater Element (watts)	N/A	2 Levels: 1300 or 2100	N/A	2 Levels: 1300 or 2100
Maximum Current (amps)	0.25	10	0.25	10
Potency (watts)	52	2000	52	2000
Air Flow Performance +-15% (m3/l	n) 200	200	200	200
Humidifying Volume +-15% (ml/h)	350	350	350	350
Air Flow Speed (RPM)	3 Speeds:	3 Speeds:	3 Speeds:	3 Speeds:
	High:1650 (100 RPM)	High:1650 (100 RPM)	High:1650 (100 RPM)	High:1650 (100 RPM)
	Med:1520 (100 RPM)	Med:1520 (100 RPM)	Med:1520 (100 RPM)	Med:1520 (100 RPM)
	Low: 1320 (120 RPM)			
Removable Water Tank Capacity (li	,	6	6	6
Rollers / Locking Casters	4/2	5/2	4/2	5/2
Approvals	CB	CB	CB	CB
	White with silver trim			
UNIT DIMENSIONS & WEIGHT				
Height (mm/in)	680 / 26.77	680 / 26.77	680 / 26.77	680 / 26.77
Width (mm/in)	320 / 12.6	320 / 12.6	320 / 12.6	320 / 12.6
Depth (mm/in)	240 / 9.45	240 / 9.45	240 / 9.45	240 / 9.45
Net Weight (kg/lb)	6.5 / 14.3	7.5 / 16.5	6.5 / 14.3	7.5 / 16.5
CARTON DIMENSIONS & WEIGHT	Г			
Height (mm/in)	715 / 28.15	715 / 28.15	715 / 28.15	715 / 28.15
Width (mm/in)	360 / 14.17	360 / 14.17	360 / 14.17	360 / 14.17
Depth (mm/in)	261 / 10.24	261 / 10.24	261 / 10.24	261 / 10.24
Gross Weight (kg/lb)	8.5 / 18.7	9.5 / 20.9	8.5 / 18.7	9.5 / 20.9
Container Loading (40'HC)	1013	1013	1013	1013



# Laundry





#### Front Load Washers

11 kg IEC Capacity 'A+' Energy Rating **Electronic Controls** 1100 Variable Spin Speed 1950 Watt Booster Heater Fresh Plus Rinse Technology Deep Clean/Sanitary Cycle 7 Wash Programs **Eco Wash** Soil Level Selector Wash Temperature Thermostat 3 Detergent Compartments Easy Iron Anti Wrinkle Extra Rinse No Spin **Delay Start Time** Self-Cleaning Pump Extra Large Glass Door with Safety Lock Polypropylene Outer Tub and

Stainless Steel Drum
Optional Pedestal Organizer
(CFPWD15W)

White Color

The optional pedestal can hold laundry supplies while also raising the height of the washer and dryer, making them easier to load.



#### ISO 9001 CERTIFIED FACILITY

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-MLF125BZKS+-A







Combine the Clean Pro MFW12/MLF12 front load washer with its matching dryer MDE67 to maximize your laundry cleaning capability. Add an optional pedestal with drawer below each for extra storage and convenience.

Save time, energy and money with the Gibson 11kg capacity front load washer. Wash two loads of laundry at once in this super capacity, energy-efficient washer that has earned an 'A+' Euro energy rating.

The washer is designed with features that keep your health in mind. Fresh Plus Rinse Technology uses a fresh water rinse to remove residual detergent from laundry. The Deep-Clean/Sanitary Cycle eliminates 99.9% of harmful bacteria with the help of

a special Booster Heater.

Your laundry is easy to access through the 368mm wide door opening with a door that opens 180 degrees. The 2-Way Reverse Tumble Action provides superior cleaning for brighter whites and colors.

You can have peace of mind knowing that your laundry is being washed thoroughly and safely in a Gibson front load washer!

MODELS	MLF125BZKS	MFW12CEZKS	MFW126BZKS
Voltage,Hertz	220-240, 50	230-240, 50	220, 60
IEC Rated Wash Capacity (kg)	11	11	11
SYSTEM FEATURES			
Plug Type	British	Euro	British
Euro Energy Rating*	A+	A+	A+
Drying Efficiency Class*	С	С	С
Variable Spin Speed (RPM)	1100	1100	1100
Tub	Polypropylene	Polypropylene	Polypropylene
Water Fill	Hot & Cold	Cold Fill Only	Cold Fill Only
Booster Heater (Watts)	1950	1950	1950
Approvals	CE, RoHS,	CE, RoHS,	CE, RoHS, SASO
	VDE(GS Mark)	VDE(GS Mark)	VDE(GS Mark)
Color	White	White	White
UNIT DIMENSIONS & WEIGHT			
Height (mm/in)	914 / 36	914 / 36	914 / 36
Width (mm/in)	685 / 27	685 / 27	685 / 27
Depth (mm/in)	609 / 24	609 / 24	609 / 24
Net Weight (kg/lb)	93 / 205	93 / 205	93 / 205
CARTON DIMENSIONS & WEIGHT			
Height (mm/in)	990 / 39	990 / 39	990 / 39
Width (mm/in)	775 / 30.5	775 / 30.5	775 / 30.5
Depth (mm/in)	736 / 29	736 / 29	736 / 29
Net Weight (kg/lb)	101 / 223	101 / 223	101 / 223
Container Loading (20'/40'/40'HC)	42 / 90 / 90	42 / 90 / 90	42 / 90 / 90



## **Dryers**

7 cu.ft./199L Capacity
Electronic Controls
LED Display
Pro Dry Moisture Sensor
99.9% Bacteria-Free Cycle
5 Automatic Cycles (Towels,
Heavy Duty, Normal, Permanent
Press and Delicate)

- 2 Timed Dry Cycles
- 5 Temperature Options (Maximum, High, Medium, Low and Air Fluff)
- 4 Dryness Levels (More Dry, Normal, Less Dry and Damp Dry) Extended Tumble Option Shrink Guard Option Drum Light Extra Large Glass Door with Safety Lock Stainless Steel Drum Quiet Plus Insulation Package Extra Large Glass Door Optional Pedestal (CFPWD15W) Optional Stacking Kit (STACKIT4X) Optional Drying Rack (137067300) White Color

The optional pedestal can hold laundry supplies while also raising the height of the washer and dryer, making them easier to load.



#### ISO 9001 CERTIFIED FACILITY

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12CD-MDE675NZHS+-B





Combine the Clean Pro dryer MDE67 with its matching MFW12/MLF12 front load washerdryer to maximize your laundry cleaning capability. Add an optional pedestal with drawer below each for extra storage and convenience.

Save time, energy and money with the new Gibson Clean Pro dryer. Wash two loads of laundry at once in the Clean Pro super capacity, energy-efficient washer and then dry that same laundry in the matching dryer.

The MDE67 is designed with features that keep your health in mind. The dryer has a 90-Minute Timed Dry with Maximum Temperature option which assures 99..9% elimination of harmful bacteria from your laundry.

The Pro Dry Moisture Sensor detects the amount of moisture in the laundry and stops

the drying cycle at the appropriate time to prevent damage to your clothing. The LED Display shows the time remaining in the cycle and recalculates the time throughout the cycle based on the moisture remaining in the laundry.

Your laundry is easy to access through the 368mm wide door opening with a door that opens 180 degrees.

You can have peace of mind knowing that your laundry is being dried safely in a Gibson dryer!

MODELS	MDE675NZHS	MDE676NZHS
Voltage, Hertz	230-240, 50	220, 60
Drum Capacity (L/cu ft)	199 / 7.0	199 / 7.0
SYSTEM FEATURES		
Drum	Stainless Steel	Stainless Steel
Heating Element (Watts)	4500	4500
Vented	Yes	Yes
Plug Type	None	None
Approvals	VDE, CE, RoHS	VDE, CE, RoHS
Color	White	White
UNIT DIMENSIONS & WEIGHT		
Height (mm/in)	914 / 36	914 / 36
Width (mm/in)	685 / 27	685 / 27
Depth (mm/in)	609 / 24	609 / 24
Net Weight (kg/lb)	70 / 150	70 / 150
CARTON DIMENSIONS & WEIGHT		
Height (mm/in)	990 / 39	990 / 39
Width (mm/in)	807 / 31.8	807 / 31.8
Depth (mm/in)	724 / 28.5	724 / 28.5
Net Weight (kg/lb)	77 / 170	77 / 170
Container Loading (20'/40'/40'HC)	42 / 84 / 84	42 / 84 / 84







#### Front Load Washers

9.0kg or 8.0kg Capacity 'A+' Euro Energy Rating 1000RPM Maximum Spin Speed 23 Wash Programs Special Wool Program Easy Iron Rinse and Hold Pre-wash (GLCE09 only) Extra Rinse (GLCE08 only) **Eco Wash 3 Detergent Compartments** Cold Water Fill Drain Pump with Filter Stainless Steel Drum and Polypropylene Tub **Electronic Control System Balance Control System Eco-logic System** Foam Protection Low and High Voltage Protection Failure Detection System **Overflow Protection** Safety Lock 180 Degree Wide Door Opening Radio Frequency Interference Filter Removable Plastic Top Adjustable Feet



White Color

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-GLCE09GFCWT+-A





The 9.0kg GLCE09G and 8.0kg GLCE08G are designed with 23 wash programs that will efficiently clean all of your laundry. These models have numerous features that allow you to tailor the wash function to your needs, such as rinse and hold, easy iron, and eco wash, which reduces time and energy used for a slightly soiled load of laundry. For a half load or less of laundry, the Eco-logic System decreases energy consumption by up to 50% by decreasing the water consumption and program duration.

These front load washers are equipped with several safety features to give you extra peace

of mind. The safety lock prevents changes from being made to the control panel settings while the washer is operating. The low and high voltage protection stops the washer from operating if the voltage is above or below the acceptable range. The failure detection system alerts you of a system failure through blinking error signals on the control panel. The overflow protection can detect a potential problem with water supply and automatically turn on the drain pump if necessary.

MODELS	GLCE09G*CWT	GLCE08G*CWT1
Voltage, Hertz	220-240, 50	220-240, 50
Plug	*F, G or H type	*F, G or H type
Capacity (kg)	9.0	8.0
SYSTEM FEATURES		
Euro Energy Rating	A+	A+
Max Spin Speed (RPM)	1000	1000
Tub	Polypropylene	Polypropylene
Drum	Stainless Steel	Stainless Steel
Water Fill	Cold	Cold
Approvals	CE, RoHS	CE, RoHS
Color	White	White
UNIT DIMENSIONS & WEIGHT		
Height (mm/in)	845 / 33.3	845 / 33.3
Width (mm/in)	597 / 23.5	597 / 23.5
Depth (mm/in)	582 / 22.91	557 / 21.9
Net Weight (kg/lb)	78.5 / 172.7	72.5 / 159.5
CARTON DIMENSIONS & WEIGHT		
Height (mm/in)	881 / 34.7	881 / 34.7
Width (mm/in)	641 / 25.2	641 / 25.2
Depth (mm/in)	640 / 25.2	610 / 24.0
Gross Weight (kg/lb)	81.5 / 179.3	75.5 / 166.1
Container Loading (20'/40'40'HC)	54 / 108 / 162	54 / 114 / 171
*F = Schuko, G = British or H plug type		



7.0 kg Capacity 'A+' Euro Energy Rating 800RPM Maximum Spin Speed 23 Wash Programs Special Wool Program Easy Iron Rinse and Hold Extra Rinse (GLCD07F only) **Eco Wash 3 Detergent Compartments** Cold Water Fill Drain Pump with Filter Stainless Steel Drum and Polypropylene Tub **Electronic Control System Balance Control System Eco-logic System** Foam Protection Low and High Voltage Protection Failure Detection System **Overflow Protection** Safety Lock 180 Degree Wide Door Opening Radio Frequency Interference Filter Removable Plastic Top Adjustable Feet White Color

## ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-GLCD07GFCWT+-A





The 7.0kg GLCD07 is designed with 23 wash programs that will efficiently clean all of your laundry. This model has numerous features that allow you to tailor the wash function to your needs, such as rinse and hold, easy iron, and eco wash, which reduces time and energy used for a slightly soiled load of laundry. For a half load or less of laundry, the Eco-logic System decreases energy consumption by up to 50% by decreasing the water consumption and program duration.

These front load washers are equipped with several safety features to give you extra peace of mind. The safety lock prevents changes from

being made to the control panel settings while the washer is operating. The low and high voltage protection stops the washer from operating if the voltage is above or below the acceptable range. The failure detection system alerts you of a system failure through blinking error signals on the control panel. The overflow protection can detect a potential problem with water supply and automatically turn on the drain pump if necessary.

GLCD07G*CWT1	GLCD07F*CWT1
220-240, 50	220-240, 60
*F, G or H type	*F or G type
7.0	7.0
A+	A+
800	800
Polypropylene	Polypropylene
Stainless Steel	Stainless Steel
Cold	Cold
CE, RoHS	CE, RoHS
White	White
845/33.3	845/33.3
597/23.5	597/23.5
527/20.8	527/20.8
68.5/150.7	68.5/150.7
881/34.7	881/34.7
641/25.2	641/25.2
577/22.7	577/22.7
71.5/157.3	71.5/157.3
72/144/216	72/144/216
	220-240, 50 *F, G or H type 7.0  A+ 800 Polypropylene Stainless Steel Cold CE, RoHS White  845/33.3 597/23.5 527/20.8 68.5/150.7  881/34.7 641/25.2 577/22.7 71.5/157.3







Front Load Washer

6.0 kg Capacity 'A+' Euro Energy Rating 1000RPM Maximum Spin Speed 23 Wash Programs Special Wool Program No Spin Extra Rinse Eco Wash **3 Detergent Compartments** Cold Water Fill Drain Pump with Filter Stainless Steel Drum and Polypropylene Tub **Electronic Control System Balance Control System Eco-logic System Foam Protection** Low and High Voltage Protection Failure Detection System **Overflow Protection** Safety Lock 180 Degree Wide Door Opening Radio Frequency Interference Filter Removable Plastic Top Adjustable Feet White Color



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-GLCE06GFCWT+-A





The 6.0kg GLCE06G is designed with 23 wash programs that will efficiently clean all of your laundry. This model has numerous features that allow you to tailor the wash function to your needs, such as extra rinse, no spin, and eco wash, which reduces time and energy used for a slightly soiled load of laundry. For a half load or less of laundry, the Eco-logic System decreases energy consumption by up to 50% by decreasing the water consumption and program duration.


These front load washers are equipped with several safety features to give you extra peace of mind. The safety lock prevents changes from

being made to the control panel settings while the washer is operating. The low and high voltage protection stops the washer from operating if the voltage is above or below the acceptable range. The failure detection system alerts you of a system failure through blinking error signals on the control panel. The overflow protection can detect a potential problem with water supply and automatically turn on the drain pump if necessary.

MODELS	GLCE06G*CWT
Voltage, Hertz	220-240, 50
Plug	*F, G or H type
Capacity (kg)	6.0
SYSTEM FEATURES	
Euro Energy Rating	A+
Max Spin Speed (RPM)	1000
Tub	Polypropylene
Drum	Stainless Steel
Water Fill	Cold
Approvals	CE, RoHS
Color	White
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	845 / 33.3
Width (mm/in)	597 / 23.5
Depth (mm/in)	527 / 20.8
Net Weight (kg/lb)	68.5 / 150.7
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	881 / 34.7
Width (mm/in)	641 / 25.2
Depth (mm/in)	577 / 22.7
Gross Weight (kg/lb)	71.5 / 157.3
Container Loading (20'/40'40'HC)	72 / 144 / 216
*F = Schuko, G = British or H plug type	







6.0 kg Capacity 'A+' Euro Energy Rating 800RPM Maximum Spin Speed 23 Wash Programs Special Wool Program No Spin Extra Rinse Eco Wash **3 Detergent Compartments** Cold Water Fill Drain Pump with Filter Stainless Steel Drum and Polypropylene Tub **Electronic Control System Balance Control System Eco-logic System Foam Protection** Low and High Voltage Protection Failure Detection System **Overflow Protection** Safety Lock 180 Degree Wide Door Opening Radio Frequency Interference Filter Removable Plastic Top Adjustable Feet White Color



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-GLCD06GFCWT+-A





The 6.0kg GLCD06G is designed with 23 wash programs that will efficiently clean all of your laundry. This model has numerous features that allow you to tailor the wash function to your needs, such as extra rinse, no spin, and eco wash., which reduces time and energy used for a slightly soiled load of laundry. For a half load or less of laundry, the Eco-logic System decreases energy consumption by up to 50% by decreasing the water consumption and program duration.

These front load washers are equipped with several safety features to give you extra peace of mind. The safety lock prevents changes from

being made to the control panel settings while the washer is operating. The low and high voltage protection stops the washer from operating if the voltage is above or below the acceptable range. The failure detection system alerts you of a system failure through blinking error signals on the control panel. The overflow protection can detect a potential problem with water supply and automatically turn on the drain pump if necessary.

MODELS	GLCD06G*CWT
Voltage, Hertz	220-240, 50
Plug	*F, G or H type
Capacity (kg)	6.0
SYSTEM FEATURES	
Euro Energy Rating	A+
Max Spin Speed (RPM)	800
Tub	Polypropylene
Drum	Stainless Steel
Water Fill	Cold
Approvals	CE, RoHS
Color	White
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	845 / 33.3
Width (mm/in)	597 / 23.5
Depth (mm/in)	527 / 20.8
Net Weight (kg/lb)	68.5 / 150.7
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	881 / 34.7
Width (mm/in)	641 / 25.2
Depth (mm/in)	577 / 22.7
Gross Weight (kg/lb)	71.5 / 157.3
Container Loading (20'/40'40'HC)	72 / 144 / 216
*F = Schuko, G = British or H plug type	







6.0 kg Capacity 'A+' Euro Energy Rating 800RPM Maximum Spin Speed 23 Wash Programs Special Wool Program No Spin Extra Rinse Eco Wash **3 Detergent Compartments** Cold Water Fill Drain Pump with Filter Stainless Steel Drum and Polypropylene Tub **Electronic Control System Balance Control System Eco-logic System** Foam Protection Low and High Voltage Protection Failure Detection System **Overflow Protection** Safety Lock 180 Degree Wide Door Opening Radio Frequency Interference Filter Removable Plastic Top Adjustable Feet White Color



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-GLCD06GFAWT+-A





The 6.0kg GLCD06G\*AWT and GLCD06F\*AWT are designed with 23 wash programs that will efficiently clean all of your laundry. These models have numerous features that allow you to tailor the wash function to your needs, such as extra rinse, no spin, and eco wash, which reduces time and energy used for a slightly soiled load of laundry. For a half load or less of laundry, the Eco-logic System decreases energy consumption by up to 50% by decreasing the water consumption and program duration.

These front load washers are equipped with several safety features to give you extra peace

of mind. The safety lock prevents changes from being made to the control panel settings while the washer is operating. The low and high voltage protection stops the washer from operating if the voltage is above or below the acceptable range. The failure detection system alerts you of a system failure through blinking error signals on the control panel. The overflow protection can detect a potential problem with water supply and automatically turn on the drain pump if necessary.

MODELS	GLCD06G*AWT	GLCD06F*AWT
Voltage, Hertz	220-240, 50	220-240, 60
Plug	*F, G or H type	*F or G type
Capacity (kg)	6.0	6.0
SYSTEM FEATURES		
Euro Energy Rating	A+	A+
Max Spin Speed (RPM)	800	800
Tub	Polypropylene	Polypropylene
Drum	Stainless Steel	Stainless Steel
Water Fill	Cold	Cold
Approvals	CE, RoHS	CE, RoHS
Color	White	White
UNIT DIMENSIONS & WEIGHT		
Height (mm/in)	845 / 33.3	845 / 33.3
Width (mm/in)	597 / 23.5	597 / 23.5
Depth (mm/in)	527 / 20.8	527 / 20.8
Net Weight (kg/lb)	68.5 / 150.7	68.5 / 150.7
<b>CARTON DIMENSIONS &amp; WEIGHT</b>		
Height (mm/in)	881 / 34.7	881 / 34.7
Width (mm/in)	641 / 25.2	641 / 25.2
Depth (mm/in)	577 / 22.7	577 / 22.7
Gross Weight (kg/lb)	71.5 / 157.3	71.5 / 157.3
Container Loading (20'/40'40'HC)	72 / 144 / 216	72 / 144 / 216
*F = Schuko, G = British or H plug type		







#### Front Load Washers

5.0 kg Capacity
'A+' Euro Energy Rating
800RPM Maximum Spin Speed
(GLCD05G\*EWT models)
600RPM Maximum Spin Speed
(GLCC05 models)
23 Wash Programs
Special Wool Program
No Spin
Easy Iron

3 Detergent Compartments Cold Water Fill

Drain Pump with Filter Stainless Steel Drum and Polypropylene Tub Electronic Control System

Balance Control System

Eco-logic System
Foam Protection

**Eco Wash** 

Low and High Voltage Protection

Failure Detection System

Overflow Protection

Safety Lock

180 Degree Wide Door Opening Radio Frequency Interference Filter

Removable Plastic Top

Adjustable Feet

White Color

# ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-GLCD05GFEWT+-A





The 5.0kg GLCD05G\*EWT, GLCC05G\*EWT and GLCC05F\*EWT are designed with 23 wash programs that will efficiently clean all of your laundry. These models have numerous features that allow you to tailor the wash function to your needs, such as easy iron, no spin, and eco wash, which reduces time and energy used for a slightly soiled load of laundry. For a half load or less of laundry, the Eco-logic System decreases energy consumption by up to 50% by decreasing the water consumption and program duration.

These front load washers are equipped with several safety features to give you extra peace

of mind. The safety lock prevents changes from being made to the control panel settings while the washer is operating. The low and high voltage protection stops the washer from operating if the voltage is above or below the acceptable range. The failure detection system alerts you of a system failure through blinking error signals on the control panel. The overflow protection can detect a potential problem with water supply and automatically turn on the drain pump if necessary.

MODELS	GLCD05G*EWT	GLCC05G*EWT	GLCC05F*EWT
Voltage, Hertz	220-240, 50	220-240, 50	220-240, 60
Plug	*F, G or H type	*F, G or H type	*F or G type
Capacity (kg)	5	5	5
SYSTEM FEATURES			
Euro Energy Rating	A+	A+	A+
Max Spin Speed (RPM)	800	600	600
Tub	Polypropylene	Polypropylene	Polypropylene
Drum	Stainless Steel	Stainless Steel	Stainless Steel
Water Fill	Cold	Cold	Cold
Approvals	CE, RoHS	CE, RoHS	CE, RoHS
Color	White	White	White
UNIT DIMENSIONS & WEIGHT			
Height (mm/in)	845 / 33.3	845 / 33.3	845 / 33.3
Width (mm/in)	597 / 23.5	597 / 23.5	597 / 23.5
Depth (mm/in)	497 / 19.6	497 / 19.6	497 / 19.6
Net Weight (kg/lb)	64.5 / 141.9	64.5 / 141.9	64.5 / 141.9
CARTON DIMENSIONS & WEIGHT	-		
Height (mm/in)	881 / 34.7	881 / 34.7	881 / 34.7
Width (mm/in)	641 / 25.2	641 / 25.2	641 / 25.2
Depth (mm/in)	547 / 21.5	547 / 21.5	547 / 21.5
Gross Weight (kg/lb)	67.5 / 148.5	67.5 / 148.5	67.5 / 148.5
Container Loading (20'/40'40'HC)	74 / 150 / 224	74 / 150 / 224	74 / 150 / 224
*F = Schuko, G = British or H plug type			







#### Front Load Washer

5.0 kg Capacity 'A+' Euro Energy Rating 500RPM Maximum Spin Speed 23 Wash Programs Special Wool Program No Spin Cold Wash Eco Wash **3 Detergent Compartments** Cold Water Fill Drain Pump with Filter Stainless Steel Drum and Polypropylene Tub **Electronic Control System Balance Control System Eco-logic System** Foam Protection Low and High Voltage Protection Failure Detection System **Overflow Protection** Safety Lock 180 Degree Wide Door Opening Radio Frequency Interference Filter Removable Plastic Top Adjustable Feet White Color



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-GLCB05GFDWT+-A





The 5.0kg GLCB05 is designed with 23 wash programs that will efficiently clean all of your laundry. This model has numerous features that allow you to tailor the wash function to your needs, such as cold wash, no spin, and eco wash, which reduces time and energy used for a slightly soiled load of laundry. For a half load or less of laundry, the Eco-logic System decreases energy consumption by up to 50% by decreasing the water consumption and program duration.

These front load washers are equipped with several safety features to give you extra peace of mind. The safety lock prevents changes from

being made to the control panel settings while the washer is operating. The low and high voltage protection stops the washer from operating if the voltage is above or below the acceptable range. The failure detection system alerts you of a system failure through blinking error signals on the control panel. The overflow protection can detect a potential problem with water supply and automatically turn on the drain pump if necessary.

MODELS	GLCB05G*DWT	GLCB05F*DWT
Voltage, Hertz	220-240, 50	220-240, 60
Plug	*F, G or H type	*F or G type
Capacity (kg)	5.0	5.0
SYSTEM FEATURES		
Euro Energy Rating	A+	A+
Max Spin Speed (RPM)	500	500
Tub	Polypropylene	Polypropylene
Drum	Stainless Steel	Stainless Steel
Water Fill	Cold	Cold
Approvals	CE, RoHS	CE, RoHS
Color	White	White
UNIT DIMENSIONS & WEIGHT		
Height (mm/in)	845 / 33.3	845 / 33.3
Width (mm/in)	597 / 23.5	597 / 23.5
Depth (mm/in)	497 / 19.6	497 / 19.6
Net Weight (kg/lb)	64.5 / 141.9	64.5 / 141.9
CARTON DIMENSIONS & WEIGHT		
Height (mm/in)	881 / 34.7	881 / 34.7
Width (mm/in)	641 / 25.2	641 / 25.2
Depth (mm/in)	547 / 21.5	547 / 21.5
Gross Weight (kg/lb)	67.5 / 148.5	67.5 / 148.5
Container Loading (20'/40'40'HC)	74 / 150 / 224	74 / 150 / 224
*F = Schuko, G = British or H plug type		



# 7.0 kg Capacity 850RPM Maximum Spin Speed

14 Wash Programs

3 Detergent Compartments

Rinse and Hold

No Spin

Spin Only

Cold Wash

Pre-wash

**Delay Start** 

**Eco Wash** 

Cold Water Fill

Drain Pump with Filter

Stainless Steel Tub and Carboran Drum

**Electronic Control System** 

**Balance Control System** 

Low and High Voltage Protection

Failure Detection System

Safety Lock

180 Degree Wide Door Opening

Radio Frequency Interference Filter

Removable Plastic Top

Adjustable Feet

White Color

The 7.0kg front load washer GLCD07FGMW3 is designed with 14 wash programs that will efficiently wash all of your laundry. This model has numerous features that allow you to tailor the wash function to your needs, such as rinse and hold, no spin, spin only, cold wash, pre-wash and eco wash. Set the washer to start at a later time in the day with the delay start function.

This front load model is equipped with several safety features to give you extra peace of mind.

The safety lock prevents changes from being made to the control panel settings while the washer is operating. The low and high voltage protection stops the washer from operating if the voltage is below or above the 170-240 volt range. The failure detection system alerts you of a system failure through a blinking light displayed on the control panel.

You can have peace of mind with a Gibson washer!



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-GLCD07GFMW3-A

MODELS	GLCD07FGMW3
Voltage, Hertz	220, 60
Plug	British
Capacity (Kg)	7.0
SYSTEM FEATURES	
Control Panel Knobs	1 14-Program Knob, 5-Push Buttons
Max Spin Speed (rpm)	850
Tub	Carboran
Drum	Stainless Steel
Water Fill	Cold
Color	White
Safety Standard	IEC 60335-1,-2-7
Approvals	SASO
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	850 / 33.5
Width (mm/in)	600 / 23.6
Depth (mm/in)	540 / 21.3
Net Weight (kg/lb)	60 / 132.0
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	873 / 34.4
Width (mm/in)	672 / 26.5
Depth (mm/in)	592 / 23.3
Gross Weight (kg/lb)	62 / 136.4
Container Loading (20'/40'/40'HC)	54 / - / 177



6.0 kg Capacity
Exhaust Venting
Electromechanical Controls
2 Temperature Settings
120-Minute Variable Timer
Safety Door Switch
Stainless Steel Drum
Reverse Tumbling
Lint Filter
Wall Mount Option
White Color

The 6.0kg dryer GKFM06FGMW3 is the perfect companion to front load washer model GLCD07FGMW3. This model has an exhaust vent to expel the air and is built with a stainless steel drum. If space is limited, you can mount this dryer on the wall.

The GKFM06FGMW3 operates with reverse tumbling action with high and medium temperature levels that can be set for up to 120 minutes.

You can have peace of mind with a Gibson dryer!

**MODELS** GKFM06FGMW3 Voltage, Hertz 220, 60 Plug British Capacity (Kg) 6.0 SYSTEM FEATURES Control Panel Knobs 1 Program Knob, 1-Push Buttons Power (kW) 2240 **Heater Power** 2100 Drum Stainless Steel **Drying System Exhaust Venting** Heater Type **Dual Element Compact** Color White Safety Standard IEC 60335-1, IEC 60335-2-11 **UNIT DIMENSIONS & WEIGHT** Height (mm/in) 800 / 31.5 Width (mm/in) 605 / 23.8 Depth (mm/in) 560 / 22.1 Net Weight (kg/lb) 27 / 59.4 **CARTON DIMENSIONS & WEIGHT** Height (mm/in) 830 / 32.7 Width (mm/in) 630 / 24.8 598 / 23.5 Depth (mm/in) Gross Weight (kg/lb) 28.5 / 62.7 Container Loading (20'/40'/40'HC) 54 / - / 180

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12CD-GKFM06FGMW3-A



# Agitator-Style Top Load Washers

14 or 12.1 kg Capacity **Rotary Electronic Controls** 

- 7 Wash Programs
- 4 Manual and 1 Auto Wash/Rinse **Temperature Combinations**
- 4 Manual and 1 Auto Water Level Control

Auto Wash Action Time Control **Auto Spin Level Control** 

Wash Only, Rinse Only, Spin Only, Wash and Rinse Only, Wash and Spin Only, and Rinse and Spin Only

Pre-wash

**Eco Rinse** 

Hot and Cold Water Fill Fabric Softener and Bleach

Dispensers

Safety Lid Lock

**Balanced Control System** 

Water Level Sensor

Self-Cleaning Lint Filter

Polypropylene Tub with Agitator

**Program Status Lights** 

**Attached Drain Hose** 

**Attached Power Cord** 

White Color

#### ISO 9001 CERTIFIED FACILITY

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-MLTZ14GGAWB+-B



The new Gibson top load washer models MLTZ14\*GAWB and MLTZ12\*GAWB will wash your largest laundry loads with a capacity of 14kg or 12.1kg. These models are designed with an agitator and have hot and cold water inlets. You can program the washer yourself using one of the four wash/rinse temperature combinations or one of the four water level options, or you can allow the washer to determine the appropriate selection for you.

The 7 wash programs include heavy duty, cottons/normal, synthetics, delicates, bed sheets, quick wash and extra spin. You can also customize the cycle by choosing one of the six wash, spin or rinse options. Check on the status of the wash cycle through the program status lights or by looking at your laundry through the tempered

You can have peace of mind using a Gibson washer to clean your laundry!

MODELS	MLTZ14*GAWB	MLTZ12*GAWB
Voltage, Hertz	*G = 220-240, 50	*G = 220-240, 50
	F = 220, 60	F = 220, 60
Capacity (kg)	14	12.1
Tub Size (L/cu ft)	98.7 / 3.48	97 / 3.42
SYSTEM FEATURES		
Controls	Rotary Electronic	Rotary Electronic
Amps	8	8
Spin Speed (RPM)	680	670
Tub Material	Polypropylene	Polypropylene
Leveling Legs	Yes	Yes
Plug Type	British	British
Approvals	IEC 60335-1, IEC 60335-2-7	IEC 60335-1, IEC 60335-2-7
Color	White	White
UNIT DIMENSIONS & WEIGHT		
Height (mm/in)	1068 / 42	1068 / 42
Width (mm/in)	678 / 27	678 / 27
Depth (mm/in)	658 / 26	658 / 26
Net Weight (kg/lb)	54 / 118	54 / 118
<b>CARTON DIMENSIONS &amp; WEIGH</b>	Т	
Height (mm/in)	1175 / 46.3	1175 / 46.3
Width (mm/in)	749 / 29.5	749 / 29.5
Depth (mm/in)	737 / 29	737 / 29
Gross Weight (kg/lb)	56 / 123	56 / 123
Container Loading (20'/40'/40'HC)	) 48 / 96 / 96	48 / 96 / 96



170L / 6.0 cu.ft. Capacity
Rotary Electromechanical Controls
Vented Dryer
3 Auto Dry Cycles
7 Timed Dry Cycles
30-80 Minute Variable Timer
Refresh Cycle
Thermostat Control
Quick Clean Lint Filter
Reversible Door
White Color



The new Gibson electric dryer MKRR13\*WAWB has a capacity of 170 liters / 6.0 cu.ft. and can be paired with companion washer models MLTZ14\*GAWB or MLTZ12\*GAWB.

This vented dryer has 3 auto dry cycles with thermostat control and 7 timed dry cycles for your convenience. The refresh cycle will fluff clothing in order to help remove wrinkles.

Container Loading (20'/40'/40'HC)

The door can be reversed to open from the left or the right depending on your needs.

You can have peace of mind using a Gibson dryer to safely dry your laundry!

24 / 48 / 96

#### ISO 9001 CERTIFIED FACILITY

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12CD-MKRR13GWAWB+-B

MODEL	MKRR13*WAWB
Voltage, Hertz	*G = 220-240, 50, F = 220, 60
Drum Capacity (L/cu ft)	170 / 6.0
SYSTEM FEATURES	
Controls	Rotary Electromechanical
Amps	24
Heating Element (Watts)	5600
Tumbling Speed (rpm)	55
Air Flow (CFM)	175
Vented	Yes
Plug Type	No cord & plug
Drum Material	Painted Metal
Door Material	Metal
Filter	Plastic
Approvals	IEC 60335-2, IEC 60335-2-11
Color	White
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	1090 / 43
Width (mm/in)	683 / 27
Depth (mm/in)	658 / 26
Net Weight (kg/lb)	46 / 101
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1194 / 47
Width (mm/in)	724 / 28.5
Depth (mm/in)	724 / 28.5
Gross Weight (kg/lb)	49 / 108



## Top Load Washer

Extra Large 12.1kg Capacity Water Level Sensor 700RPM Maximum Spin Speed 12 Automatic Programs(Stain Wash, Heavy Duty, Jeans, Cottons, Bed Sheets, Towels, Delicates, Silks, Baby Clothes, Colors, Quick Wash and Blankets) 3 Water Temperatures (Hot, Warm, 3 Pre-Wash Options 4 Water Level Options Rinse and Spin Spin Only **Detergent Dispenser** Fabric Softener Dispenser **Bleach Dispenser** Wash Progress Indicators

Stainless Steel Tub and Polypropylene Drum **Balance Control System** Glass Lid with Safety Lock Open Lid Alarm **Fault Check Display End-of-Cycle Signal Auto Power Off** 

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

White Color

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12AW-GLAZ12DGAWD+-A



The new GLAZ12DGAWD top load washer is designed with numerous practical and energy saving features for you. The 12 wash programs will efficiently wash a wide variety of laundry and even remove tough stains with one of three pre-wash options. You will save water by using the water level sensor, however, you can change the water level with one of four options if you prefer. Indicators lights show the exact stage of the wash cycle for your laundry load.

The open lid alarm prevents the washer from starting operation and warns you that the lid is open. The safety lock keeps the lid locked during operation to prevent accidental

The auto power off feature saves energy by turning off the power to the washer, in case of a delay in pressing the Start/Pause button and after completion of the wash program. The fault check display alerts you of abnormal conditions, such as low water pressure, an open lid, an excessive out-ofbalance load and failure to drain.

MODELS	GLAZ12KGAWD	GLAZ12LGAWD	GLAZ12CCAWD	GLAZ12DGAWD
Voltage, Hertz	230, 50	240, 50	220, 50	220, 60
Capacity (kg)	12.1	12.1	12.1	12.1
Tub Size (L/cu ft)	95 / 2.9	95 / 2.9	95 / 2.9	95 / 2.9
SYSTEM FEATURES				
Amps	3	3	3	3
Spin Speed (RPM)	700	700	700	700
Motor Speeds	1	1	1	1
Leveling Legs	Yes	Yes	Yes	Yes
Attached Power Cord	Yes	Yes	Yes	Yes
Plug Type	British	British	Euro	British
Approvals	CB (IEC 60335-1,	CB (IEC 60335-1,	CB (IEC 60335-1,	CB (IEC 60335-1,
	IEC 60335-2-7)	IEC 60335-2-7)	IEC 60335-2-7)	IEC 60335-2-7)
Color	White	White	White	White
UNIT DIMENSIONS & WEIGHT				
Height (mm/in)	1005 / 39.57	1005 / 39.57	1005 / 39.57	1005 / 39.57
Width (mm/in)	601 / 23.66	601 / 23.66	601 / 23.66	601 / 23.66
Depth (mm/in)	611 / 24.06	611 / 24.06	611 / 24.06	611 / 24.06
Weight (kg/lb)	45 / 99	45 / 99	45 / 99	45 / 99
<b>CARTON DIMENSIONS &amp; WEIGH</b>	łT			
Height (mm/in)	1070 / 42.13	1070 / 42.13	1070 / 42.13	1070 / 42.13
Width (mm/in)	655 / 25.79	655 / 25.79	655 / 25.79	655 / 25.79
Depth (mm/in)	685 / 26.97	685 / 26.97	685 / 26.97	685 / 26.97
Weight (kg/lb)	53 / 117	53 / 117	53 / 117	53 / 117
Container Loading (20'/40'/40'HC	2) 36 / 84 / 108	36 / 84 / 108	36 / 84 / 108	36 / 84 / 108



# Cooking





Electronic Thermostat Control
Deluxe Electronic Clock with Timer
76cm Wide
Ceramic Glass Cooktop
4 Elements
Warm Zone
Cooktop Hot Surface Indicator Light
Element On Indicator Light
Self Clean Oven with Speed Clean
Speed Bake Convection
Delay Start
Preheat
Oven-Top High Broiler with
Power Broil
2 Adjustable Oven Racks with

Power Broil

2 Adjustable Oven Racks with
5 Rack Positions
Interior Oven Light
Glass Oven Door with Window
Towel Bar Oven Door Handle
Bottom Storage Drawer
Stainless Steel with Black



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RE-MFF384KC-A



Cooking and baking is simple and safe with a Gibson American-style electric cooker. This deluxe model is designed with a self-cleaning oven and Speed Clean, which reduces the cleaning time by 33%. The Speed Bake Convection function will bake your food 30% faster, while the Power Broil option allows you to broil your foods quicker. You can also set the Delay Start for the oven to start at a later time.

The smooth ceramic cooktop not only looks modern but is also easy to clean when spills occur. The Warm Zone, located in the back center of the cooktop, is convenient for keeping meals warm until you are ready to eat.

You can have peace of mind preparing your meals with a Gibson electric cooker!

MODEL	MFF384KC
Voltage, Hertz	220, 50
3.,	Single Phase
SYSTEM FEATURES	3
Cooktop Type	Smoothtop
Burners Watts	1 x 3000
	2 x 2200
	1 Dual x 2700-1700
Oven (Watts)	3500
Broiler (Watts)	3600
Self Clean Oven	Yes
Color	Stainless Steel with Black
UNIT DIMENSIONS	
Height (mm/in)	1212/47.7
Width (mm/in)	759 / 29.9
Depth (mm/in)	654 / 25.7
Net Weight (kg/lb)	71 / 159
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1245 / 49
Width (mm/in)	800 / 31.5
Depth (mm/in)	762 / 30
Gross Weight (kg/lb)	81 / 179
Container Loading (20' / 40' / 40'HC)	21 / 42 / 84
÷ ,	



Electronic Thermostat Control
Deluxe Electronic Clock with Timer
76cm Wide
Ceramic Glass Cooktop
4 Elements
Cooktop Hot Surface Indicator Light
Self Clean Oven
Oven-Top High Broiler
Delay Start
Preheat
2 Adjustable Oven Racks with
5 Rack Positions
Interior Oven Light
Glass Oven Door with Window
Towel Bar Oven Door Handle

Stainless Steel/Black or White Color

**Bottom Storage Drawer** 





Cooking and baking is simple and safe with a Gibson American-style electric cooker. The rear control panel has Deluxe Electronic Cooking Controls with an electronic clock with timer, cooktop controls, oven thermostat, and cooktop hot surface indicator light. The location of the control panel puts it out of reach for small children.

The smooth Ceramic Glass Cooktop is easy to clean up spills. The Self-Cleaning Oven takes away the oven cleaning chore.

Program the Delay Start to begin baking in the oven at a later time of the day. The

Preheat function alerts you when the oven has reached the temperature you selected.

The 2 Adjustable Oven Racks can be placed in any of the 5 rack positions to suit your baking and broiling needs.

Depending on your kitchen design, choose from a white model or a stainless steel model with black accents.

You can have peace of mind preparing your meals with a Gibson electric cooker!

#### ISO 9001 CERTIFIED FACILITY

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RE-MFF366KC-A

Ν	10DEL	MFF366K
V	oltage, Hertz	220, 50
	_	Single Phase
S	YSTEM FEATURES	_
С	ooktop Type	Smoothtop
В	urners Watts	2 x 2500
		2 x 1200
C	oven (Watts)	2600
В	roiler (Watts)	3000
S	elf Clean Oven	Yes
С	olor	Stainless Steel with Black(C),
		White(W)
U	INIT DIMENSIONS	
Н	leight (mm/in)	1212/ 47.7
V	/idth (mm/in)	759 / 29.9
D	epth (mm/in)	654 / 25.7
Ν	let Weight (kg/lb)	68 / 150
С	ARTON DIMENSIONS & WEIGHT	
Н	leight (mm/in)	1245 / 49
V	/idth (mm/in)	800 / 31.5
D	epth (mm/in)	762 / 30
	ross Weight (kg/lb)	79 / 175
	ontainer Loading (20' / 40' / 40'HC)	21 / 42 / 84
	ğ , , , , , , , , , , , , , , , , , , ,	



**Electronic Thermostat Control Electronic Clock with Timer** 76cm Wide 4 Coil Elements Chrome Drip Bowls Cooktop Hot Surface Indicator Light Easy-to-Clean Lift-Up Cooktop Conventional Clean Oven Oven-Top High Broiler Broiler Pan 2 Adjustable Oven Racks with 5 Rack Positions Interior Oven Light Glass Oven Door with Window Towel Bar Oven Door Handle **Bottom Storage Drawer** White Color



Cooking and baking is simple and safe with a Gibson American-style electric cooker. The rear control panel has new electronic cooking controls with an electronic clock with timer, cooktop controls, oven thermostat, and cooktop hot surface indicator light. The location of the control panel puts it out of reach for small children.

The oven door and storage drawer are designed with new easy-to-grasp curved handles.

The 2 adjustable oven racks can be placed in any of the 5 rack positions to suit your baking and broiling needs. The conventional clean oven requires only periodic cleaning with oven cleaner.

You can have peace of mind preparing your meals with a Gibson electric cooker!

#### ISO 9001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RE-MFF312HS-A

MODEL	MFF312HS
Voltage, Hertz	220, 50
SYSTEM FEATURES	Single Phase
Cooktop Type	Coil Elements
Burners Watts	2 x 2100
	2 x 1250
Oven (Watts)	2185
Broiler (Watts)	2551
Self Clean Oven	No
Color	White
UNIT DIMENSIONS	
Height (mm/in)	1162 / 45.7
Width (mm/in)	759 / 29.9
Depth (mm/in)	654 / 25.7
Net Weight (kg/lb)	63 / 139
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	1245 / 49
Width (mm/in)	800 / 31.5
Depth (mm/in)	762 / 30
Gross Weight (kg/lb)	77 / 170
Container Loading (20' / 40' / 40'HC)	21 / 42 / 84



**Electronic Thermostat Control Electronic Clock with Timer** 76cm Wide Ceramic Glass Cooktop Cooktop Hot Surface Indicator Light **Element On Indicator Light** Self Clean Oven Oven-Top High Broiler 2 Adjustable Oven Racks with 6 Rack Positions Interior Oven Light Glass Oven Door with Window Towel Bar Oven Door Handle **Bottom Storage Drawer** White Color



Cooking and baking is simple and safe with a Gibson American-style electric cooker. The rear control panel has an electronic clock with timer, cooktop controls, oven thermostat, and element on and cooktop hot surface indicator lights. The location of the control panel puts it out of reach for

small children. The 2 adjustable oven racks can be placed in any of the 6 rack positions to suit your baking and broiling needs. The self clean oven cleans itself with a push of a button.

You can have peace of mind preparing your meals with a Gibson electric cooker!

#### ISO 9001

**Gibson International Company** 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RE-GNEM30NWNW-A

MODEL **GNEM30NWNW** Voltage, Hertz 120V/240V - 120V/208V, 60 Hz SYSTEM FEATURES

Cooktop Type Smoothtop

**Burners Watts** 2 x 1200/900 (left front and right rear burner)

1 x 2500/1875 (right front burner)

1 x 2200/1650 (left rear burner)

Oven Watts (240V/208V) 2600 / 1950 3000 / 2250 Broiler Watts (240V/208V) Self Clean Oven Yes **Approvals** SASO Color White **UNIT DIMENSIONS** 

Height (mm/in) 1213/47.75 Width (mm/in) 759 / 29.8 Depth (mm/in) 722 / 28.4

**CARTON DIMENSIONS & WEIGHT** 

Height (mm/in) 1262.3 / 49.7 Width (mm/in) 806.4 / 31.7 Depth (mm/in) 754.3 / 29.7 Gross Weight (kg/lb) 79.3 / 175 Container Loading (20' / 40' / 40'HC) 21 / 42 / 84



## Gas Cooker

90cm Wide

Stainless Steel 4 Gas Burners

1 Large Central Burner

Heavy Duty Cast Iron Cooktop Grates

Gas Oven with Broiler

**Electronic Thermostat** 

Triple Glass Oven Door

2 Adjustable Oven Racks

2 Oven Lights

1 Rotisserie

**Minute Timer** 

Sabaf Safety Ignition

Optional Flame Failure Device

Towel Bar Oven Door Handle

Adjustable Legs



The new Gibson GNGN90CNMSU cooker has a gas hob and a gas oven with a capacity of 107 liters. The hob has five burners, one rapid, two semirapid, one triple ring and one auxiliary, with heavy duty cast iron cooktop grates. The hob surface and the backsplash are both constructed of stainless steel. An optional flame failure device can also be ordered.

**MODEL** 

The gas oven with broiler has two oven lights to easily to check your food, two adjustable oven racks and one rotisserie for cooking your favorite meats. The triple glass on the oven door keeps the heat on the interior while protecting you as well.

You can have peace of mind cooking with a Gibson gas cooker!

GNGN90CNMSU

810 / 31.9

 Voltage, Hertz
 220-240, 50/60

 Oven Type
 Gas

 Hob Type
 Gas

 SYSTEM FEATURES
 To7

 Oven Net Capacity (L)
 1x 3.00kW Rapid Burner

1x 3.70 Triple Ring Burner 2x 1.75 kW Semi-Rapid Burner 1x 1.0kW Auxiliary Burner

Oven Burner 2.8 kW

 Grill Burner
 3.5 kW

 Glass Panels on Door
 3

 Hob Surface
 Stainless Steel

 Back Splash
 Stainless Steel

 Approvals
 CB

 Color
 Stainless Steel

UNIT DIMENSIONS & WEIGHT

Height (mm/in) 765 / 30.1
Width (mm/in) 900 / 35.4
Depth (mm/in) 600 / 23.6
Net Weight (kg/lb) 70 / 154.3
CARTON DIMENSIONS & WEIGHT

CARTON DIMENSIONS & WEIGHT Height (mm/in)

 Width (mm/in)
 940 / 37

 Depth (mm/in)
 700 / 27.5

 Gross Weight (kg/lb)
 80 / 176.3

 Container Loading (20/40/40'HC)
 40 / 84 / 126

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012

G12RG-GNGN90CNMSU-A



#### Cooker

60cm Wide
Stainless Steel
4 Gas Burners
Heavy Duty Cast Iron Cooktop Grates
Electric Oven
Electronic Ignition
Double Glass Oven Door
Adjustable Oven Rack
Oven Light
Minute Timer
Cavity Cooling System
Optional Flame Failure Device
Towel Bar Oven Door Handle

Adjustable Legs



The new Gibson GNGQ60CNMSU cooker has a gas hob and a electric oven with a capacity of 56 liters. The hob has four burners, two semi-rapid, one triple ring and one auxiliary, with heavy duty cast iron cooktop grates. The hob surface and the backsplash are both constructed of stainless steel. An optional flame failure device can also be ordered.

The gas oven with broiler has an oven light and an adjustable oven rack. The double glass on the oven door keeps the heat on the interior while protecting you as well.

You can have peace of mind cooking with a Gibson cooker!

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RG-GNGQ60CNMSU-A

MODEL	GNGQ60CNMSU
Voltage, Hertz	220-240, 50/60
Oven Type	Electric
Hob Type	Gas
SYSTEM FEATURES	

Oven Net Capacity (L) 56
Hob Burners 1x 3.70 Triple Ring Burner
2x 1.75 kW Semi-Rapid Burner
1x 1.0kW Auxiliary Burner

	in next rannary 2
Oven Burner	N/A
Grill Burner	2.5 kW
Glass Panels on Door	2
Hob Surface	Stainless Steel
Back Splash	Stainless Steel
Approvals	CB
Color	Stainless Steel
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	755 / 29.7
Width (mm/in)	600 / 23.6
Depth (mm/in)	600 / 23.6
Net Weight (kg/lb)	48.5 / 106.9
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	810 / 31.9
Width (mm/in)	640 / 25.1
Depth (mm/in)	700 / 27.5
Gross Weight (kg/lb)	54 / 119
Container Loading (20/40/40'HC)	54 / 108 / 162



#### Gas Cooker

60cm Wide Stainless Steel Hob Surface 4 Gas Burners **Enameled Steel Cooktop Grates** Gas Oven with Broiler Electronic Ignition Thermostat **Double Glass Oven Door** Adjustable Oven Rack Oven Light **Minute Timer** Flame Failure Devices **Storage Compartment** Adjustable Legs Glass Lid

Silver or White Color



The new Gibson GNGQ60GNC cooker has a gas hob and a gas oven with a capacity of 70 liters. The hob has four burners, two semi-rapid, one rapid and one auxiliary, with enameled steel cooktop grates. The hob surface is constructed of stainless steel and can be covered with a glass lid when not in use. Flame failure devices are also a standard feature on this model.

MODEL

The gas oven with broiler has an oven light and an adjustable oven rack. The double glass on the oven door keeps the heat on the interior while protecting you as well.

You can have peace of mind cooking with a Gibson gas cooker!

ISO 9001

**Gibson International Company** 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12RG-GNGQ60GNC+-A

GNGQ60GNC\*D Voltage, Hertz 220-240, 50/60 Oven Type Gas Hob Type Gas SYSTEM FEATURES Oven Net Capacity (L) 70 **Hob Burners** 1x 2.5 kW Rapid Burner 2x 1.75 kW Semi-Rapid Burner 1x 1.0 kW Auxiliary Burner Oven Burner (kW) 2.9 Grill Burner (kW) 1.4 Glass Panels on Oven Door **Hob Surface** Stainless Steel Glass Cover Yes Back Splash No Approvals IEC Color \* White (W) or Silver (S) **UNIT DIMENSIONS & WEIGHT** 940/37 Height (mm/in) Width (mm/in) 600 / 23.6 Depth (mm/in) 580 / 22.8 Net Weight (kg/lb) 35.5 / 78.3 **CARTON DIMENSIONS & WEIGHT** Height (mm/in) 1000 / 39.4 Width (mm/in) 645 / 25.4 Depth (mm/in) 605 / 23.8 Gross Weight (kg/lb) 41 / 90.3 Container Loading (40/40'HC) 156 / 156



# Chimney / Wall Cooker Hoods

GHCGT985MS 90cm Wide Stainless Steel and Glass 3-Speed Fan 2 Halogen Lights 800 m<sup>3</sup>/hr Air Flow Washable Metal Cassette Filter Optional Charcoal Filter\* Thermal Overload Cut-Off

GHCT985MS/W 90cm Wide

Single Motor

Stainless Steel or White 3-Speed Fan 2 Lights

800 m<sup>3</sup>/hr Air Flow 3 Washable Metal Cassette Filters Optional Charcoal Filter\*

Thermal Overload Cut-Off

Single Motor

GHCT955MS

90cm Wide

Stainless Steel

3-Speed Fan

2 Lights

550 m<sup>3</sup>/hr Air Flow

3 Washable Metal Cassette Filters

Optional Charcoal Filter\* Thermal Overload Cut-Off

Single Motor

**ISO 9001** 

**Gibson International Company** 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012

G12CH-GHCGT985MS+-A



GHCT985MS

GHCGT985MS

GHCT685MS/W 60cm Wide Stainless Steel or White 3-Speed Fan 2 Lights 800 m<sup>3</sup>/hr Air Flow 2 Washable Metal Cassette Filters Optional Charcoal Filter\* Thermal Overload Cut-Off Single Motor

GHCT655MS 60cm Wide Stainless Steel 3-Speed Fan 2 Lights 550 m<sup>3</sup>/hr Air Flow 2 Washable Metal Cassette Filters Optional Charcoal Filter\* Thermal Overload Cut-Off Single Motor

MODELS*	GHCGT985MS	GHCT985M+	GHCT955MS	GHCT685M+	GHCT655MS
Voltage, Hertz	220-240, 50	220-240, 50	220-240, 50	220-240, 50	220-240, 50
Style / Mounting	Chimney / Wall	Chimney / Wall	Chimney / Wall	Chimney / Wall	Chimney / Wall
Approvals**	CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS
Color	Stainless Steel	White or Stainless Steel	Stainless Steel	White or Stainless Steel	Stainless Steel
FLUEING					
Duct Diameter (mm)	120	125	125	125	125
Duct Position	Тор	Тор	Тор	Тор	Тор
UNIT DIMENSIONS & WEIGHT					
Overall Body Height (mm/in)	110 / 4.3	230 / 9.1	230 / 9.1	230 / 9.1	230 / 9.1
Width (mm/in)	900 / 35.4	898 / 35.4	898 / 35.4	598 / 23.5	598 / 23.5
Depth (mm/in)	500 / 19.7	500 / 19.7	500 / 19.7	500 / 19.7	500 / 19.7
Net Weight (kg/lb)	17.8 / 39.2	11.25 / 24.8	11.25 / 24.8	9.25 / 20.4	9 / 19.8
CARTON DIMENSIONS & WEIGHT					
Body Height (mm/in)	600 / 23.6	230 / 9.1	230 / 9.1	230 / 9.1	230 9.1
Width (mm/in)	900 / 35.4	900 / 35.4	900 / 35.4	600 / 23.6	600 / 23.6
Depth (mm/in)	500 / 19.7	500 / 19.7	500 / 19.7	500 / 19.7	500 / 19.7
Gross Weight (kg/lb)	20.3 / 44.8	13.55 / 29.9	13.55 / 29.9	11.1 / 24.5	10.85 / 23.9
Container Loading (20'/40'/40'HC)	128 / 288 / 312	162 / 330 / 370	162 / 330 / 370	234 / 485 / 580	234 / 485 / 580

Replace the "M" with a "C" in the model number for the addition of charcoal filters.

+ Add "S" for stainless steel and "W" for white.

<sup>\*\*</sup> Add an "R" to the end of the model number for the RoHS approved model.



#### **Undercabinet Cooker Hoods**

#### GHU2CT935MS

90cm Wide

Stainless Steel

3-Speed Fan

2 Lights

320 m<sup>3</sup>/hr Air Flow

3 Washable Metal Cassette Filters

Optional Charcoal Filter\*

Thermal Overload Cut-Off

2 Motors

#### GHU2CT635MS

60cm Wide

Stainless Steel

3-Speed Fan

2 Lights

320 m<sup>3</sup>/hr Air Flow

2 Washable Metal Cassette Filters

Optional Charcoal Filter\*

Thermal Overload Cut-Off

2 Motors

#### GHU2T935MS

90cm Wide

Stainless Steel

3-Speed Fan

2 Lights

320 m<sup>3</sup>/hr Air Flow

1 Metal Filter

Optional Charcoal Filter\*

Thermal Overload Cut-Off

2 Motors

#### **ISO 9001**

**Gibson International Company** 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012

G12CH-GHU2CT935MS+-A



#### GHU2CT635MS



#### GHU2T635MS / GHU2T625MS

GHU2T635MS 60cm Wide

Stainless Steel

3-Speed Fan

2 Lights

320 m<sup>3</sup>/hr Air Flow

1 Metal Filter

Optional Charcoal Filter\*

Thermal Overload Cut-Off

2 Motors

GHU2T625MS

60cm Wide

Stainless Steel

3-Speed Fan

2 Lights

280 m<sup>3</sup>/hr Air Flow

1 Metal Filter

Optional Charcoal Filter\*

Thermal Overload Cut-Off

Single Motor

GHU2CT935MS	GHU2CT635MS	GHU2T935MS	GHU2T635MS	GHU2T625MS
220-240, 50	220-240, 50	220-240, 50	220-240, 50	220-240, 50
Undercabinet	Undercabinet	Undercabinet	Undercabinet	Undercabinet
CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS
Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
120	120	120	120	120
Rear and Top	Rear and Top	Rear and Top	Rear and Top	Rear and Top
140 / 5.5	140 / 5.5	140 / 5.5	140 / 5.5	140 / 5.5
900 / 35.4	600 / 23.6	900 / 35.4	600 / 23.6	600 / 23.6
495 / 19.5	495 / 19.5	495 / 19.5	495 / 19.5	495 / 19.5
9.55 / 21.1	7.55 / 16.6	10.05 / 22.2	7.85 / 17.3	6.4 / 14.1
Γ				
175 / 6.9	180 / 7.1	175 / 6.9	180 / 7.1	180 / 7.1
940 / 37.0	640 / 25.2	940 / 37.0	640 / 25.2	640 / 25.2
535 / 21.1	540 / 21.3	535 / 21.1	540 / 21.3	540 / 21.3
10.75 / 23.7	8.85 / 19.5	11.25 / 24.8	9.15 / 20.2	7.7 / 17.0
320 / 650 / 730	500 / 1000 / 1170	320 / 650 / 730	500 / 1000 / 1170	500 / 1000 / 1170
	220-240, 50 Undercabinet CE, RoHS Stainless Steel 120 Rear and Top 140 / 5.5 900 / 35.4 495 / 19.5 9.55 / 21.1 175 / 6.9 940 / 37.0 535 / 21.1 10.75 / 23.7	220-240, 50 Undercabinet CE, RoHS Stainless Steel  120 Rear and Top  140 / 5.5 900 / 35.4 495 / 19.5 9.55 / 21.1  175 / 6.9 940 / 37.0 640 / 25.2 535 / 21.1  10.75 / 23.7  220-240, 50 Undercabinet CE, RoHS Stainless Steel  120 Rear and Top Rear and Top  140 / 5.5 900 / 35.4 600 / 23.6 495 / 19.5 7.55 / 16.6	220-240, 50         220-240, 50         220-240, 50           Undercabinet CE, RoHS         Undercabinet CE, RoHS         Undercabinet CE, RoHS           Stainless Steel         Stainless Steel         Stainless Steel           120         120         120           Rear and Top         Rear and Top         Rear and Top           140 / 5.5         140 / 5.5         140 / 5.5           900 / 35.4         600 / 23.6         900 / 35.4           495 / 19.5         495 / 19.5         495 / 19.5           9.55 / 21.1         7.55 / 16.6         10.05 / 22.2           175 / 6.9         180 / 7.1         175 / 6.9           940 / 37.0         640 / 25.2         940 / 37.0           535 / 21.1         540 / 21.3         535 / 21.1           10.75 / 23.7         8.85 / 19.5         11.25 / 24.8	220-240, 50         220-240, 50         220-240, 50         220-240, 50           Undercabinet CE, RoHS         Undercabinet CE, RoHS         Undercabinet Undercabinet CE, RoHS         CE, RoHS           Stainless Steel         Stainless Steel         Stainless Steel         Stainless Steel           120         120         120         120           Rear and Top         Rear and Top         Rear and Top         Rear and Top           140 / 5.5         140 / 5.5         140 / 5.5         140 / 5.5           900 / 35.4         600 / 23.6         900 / 35.4         600 / 23.6           495 / 19.5         495 / 19.5         495 / 19.5         495 / 19.5           9.55 / 21.1         7.55 / 16.6         10.05 / 22.2         7.85 / 17.3           175 / 6.9         180 / 7.1         175 / 6.9         180 / 7.1           940 / 37.0         640 / 25.2         940 / 37.0         640 / 25.2           535 / 21.1         540 / 21.3         535 / 21.1         540 / 21.3           10.75 / 23.7         8.85 / 19.5         11.25 / 24.8         9.15 / 20.2

<sup>\*</sup> Replace the "M" with a "C" in the model number for the addition of charcoal filters. \*\* Add an "R" to the end of the model number for the RoHS approved model.



#### **Undercabinet Cooker Hoods**

#### GHU1T935MP/GHU1T935MW

90cm Wide

Stainless Steel Front and Sides with Grey Cabinet or White Color

3-Speed Fan

2 Lights

320 m<sup>3</sup>/hr Air Flow

1 Metal Filter

Optional Charcoal Filter\*\*
Thermal Overload Cut-Off

2-125 Watt Motors



GHU1T625MW shown

#### GHU1T635MP

60cm Wide

Stainless Steel Front and Sides with Grey Cabinet

3-Speed Fan

2 Lights

320 m<sup>3</sup>/hr Air Flow

1 Metal Filter

Optional Charcoal Filter\*\*

Thermal Overload Cut-Off

2-125 Watt Motors

#### GHU1T625MP/GHU1T625MW

60cm Wide

Stainless Steel Front and Sides with Grey Cabinet or White Color

3-Speed Fan

1 Light

280 m<sup>3</sup>/hr Air Flow

1 Metal Filter

Optional Charcoal Filter\*\*

Thermal Overload Cut-Off

1-125 Watt Motor

#### ISO 9001 CERTIFIED FACILITY

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012

G12CH-GHU1T935MP+-A

MODELS	GHU1T935MP	GHU1T935MW	GHU1T635MP	GHU1T625MP	GHU1T625MW
Voltage, Hertz	220-240, 50	220-240, 50	220-240, 50	220-240, 50	220-240, 50
Style / Mounting	Undercabinet	Undercabinet	Undercabinet	Undercabinet	Undercabinet
Approvals*	CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS
Color	Stainless Steel Front/Grey Cabinet	White	Stainless Steel Front/Grey Cabinet	Stainless Steel Front/Grey Cabinet	White
FLUEING					
Duct Diameter (mm/in)	120 / 4.7	120 / 4.7	120 / 4.7	120 / 4.7	120 / 4.7
Duct Position	Rear or Top	Rear or Top	Rear or Top	Rear or Top	Rear or Top
UNIT DIMENSIONS & WEIGHT					
Body Height (mm/in)	150 / 5.9	150 / 5.9	150 / 5.9	150 / 5.9	150 / 5.9
Width (mm/in)	900 / 35.4	900 / 35.4	600 / 23.6	600 / 23.6	600 / 23.6
Depth (mm/in)	510 / 20.1	510 / 20.1	510 / 20.1	510 / 20.1	510 / 20.1
Net Weight (kg/lb)	11.5	11.5	8.6	7.16	7.16
UNIT DIMENSIONS & WEIGHT					
Body Height (mm/in)	150 / 7.5	150 / 7.5	150 / 7.5	150 / 7.5	150 / 7.5
Width (mm/in)	945 / 37.2	945 / 37.2	945 / 37.2	945 / 37.2	945 / 37.2
Depth (mm/in)	520 / 20.5	520 / 20.5	520 / 20.5	520 / 20.5	520 / 20.5
Gross Weight (kg/lb)	12.7 / 28.0	12.7 / 28.0	9.55 / 21.1	8.12 / 17.9	8.12 / 17.9
Container Loading (20'/40'/40'HC)	325 / 650 / 750	325 / 650 / 750	460 / 960 / 1115	460 / 960 / 1115	460 / 960 / 1115

 $<sup>^{\</sup>star}$  Add an "R" to the end of the model number for the RoHS approved model.

<sup>\*\*</sup> Replace the "M" with a "C" in the model number for the addition of charcoal filters.



# Microwave

42 Liter
Combination Grill
Digital Clock and Controls
Stainless Steel Door and Cabinet
5 Power Levels
Auto Weight Defrost
Express Cooking
Pre-Set Function
Turntable
Oven Light
Safety Lock



The 42-liter GMT542K3JSM and GMT642K3JSM have a digital clock and controls and 5 power levels for microwaving your meals. The combination grill function alternately grills and microwaves your food to give it a grilled look and taste.

Auto weight defrost automatically calculates the defrost time for you based

on the weight entered. Express cooking gives you high power cooking at the touch of a button for a certain number of seconds or minutes.

You can have peace of mind preparing your food in a Gibson microwave!

#### ISO 9001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12MW-GMT542K3JSM+-A

MODELS GMT542K3JSM GMT642K3JSN	
INICIDELES CIVITOTEROSSIVI CIVITOTEROSSIVI	
Voltage, Hertz 220-240, 50 220, 60	
Capacity (L/cu ft) 42 / 1.4 42 / 1.4	
SYSTEM FEATURES	
Power Levels 5 5	
Controls Digital Digital	
Top Grill Configuration for Grill Model Yes Yes	
Output Wattage / Micro 1100 1100	
Input Wattage / Micro 1550 1550	
Output Wattage / Grill 1200W-1400W 1200W-1400W	
Approvals CE / RoHS CB	
Door and Control Panel Color Stainless Steel Stainless Steel	
Cabinet Color Stainless Steel Stainless Steel	
Interior Color Grey Grey	
UNIT DIMENSIONS & WEIGHT	
Height (mm/in) 303 / 11.9 303 / 11.9	
Width (mm/in) 553 / 21.7 553 / 21.7	
Depth (mm/in) 478 / 18.8 478 / 18.8	
Net Weight (kg/lb) 17.8 / 39.2 18 / 39.6	
CARTON DIMENSIONS & WEIGHT	
Height (mm/in) 381 / 15 381 / 15	
Width (mm/in) 619 / 24.3 619 / 24.3	
Depth (mm/in) 521 / 20.5 521 / 20.5	
Gross Weight (kg/lb) 20.1 / 44.3 20 / 44	
Container Loading (20'/40'/40'HC) 240 / 504 / 588 240 / 504 / 588	



# Microwave

30 Liter **Combination Grill** Digital Clock and Push Button Controls Stainless Steel Door and Silver Cabinet 5 Power Levels **Auto Weight Defrost Express Cooking Pre-Set Function** Turntable Oven Light Safety Lock



The 30-liter GMT530K2HPM has a digital clock and push button controls and 5 power levels for microwaving your meals. The combination grill function alternately grills and microwaves your food to give it a grilled look and taste. Auto weight defrost automatically calculates the defrost time for you based on the weight entered. Express cooking

gives you high power cooking at the touch of a button for a certain number of seconds or minutes.

You can have peace of mind preparing your food in a Gibson microwave!

## ISO 9001 CERTIFIED FACILITY

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12MW-GMT530K2HPM-A

MODELS	GMT530K2HPM
Voltage, Hertz	220-240, 50
Capacity (L/cu ft)	30 / 1.0
SYSTEM FEATURES	
Power Levels	5
Controls	Push Buttons
Top Grill Configuration for Grill Model	Yes
Output Wattage / Micro	900
Input Wattage / Micro	1450
Output Wattage / Grill	1000
Approvals	CE / RoHS
Door and Control Panel Color	Stainless Steel
Cabinet Color	Silver
Interior Color	Gray
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	335 / 13.1
Width (mm/in)	520 / 20.4
Depth (mm/in)	435 / 17.1
Net Weight (kg/lb)	17.2 / 37.9
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	383 / 15
Width (mm/in)	591 / 23.2
Depth (mm/in)	473 / 18.6
Gross Weight (kg/lb)	19 / 41.9
Container Loading (20'/40'/40'HC)	285 / 595 / 695
,	



# **Dishwashers**





14 Place Settings 'A+' Energy Rating Freestanding **Electronic Touch Controls** 7 Wash Programs (Intensive, Normal, Economy, 60-Minute Express, Light/Glass, Rapid and Soak) Half Load Option 24-Hour Delay Start Timer Time Remaining Display **Automatic Detergent Dispenser** Rinse Aid Dispenser Water Softener Dispenser Safety Door Lock Stainless Steel Interior Adjustable Upper Rack Third Rack Silverware Basket 3 Spray Arms Removable Bottom Filtering Foldable Plate Holder Grids Anti-Flood Device Stainless Steel or White Color

#### ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12DW-GDFA14JFC+-A





Gibson freestanding dishwasher model GDFA14JFC can conveniently wash 14 place settings of your dinnerware with one of seven wash programs. The half load option is perfect for washing six or fewer place settings.

The delay start timer allows you to start the wash cycle within a 24-hour period. You can monitor the time remaining until the cycle ends with the time remaining display. The third rack at the top of the dishwasher can conveniently

wash a variety of cutlery and has its own spray arm for superior cleaning.

This model is available in stainless steel or white and has earned an 'A+' Energy Rating, which will save you money as well as save the environment.

MODELS WITH SCHUKO PLUG MODELS WITH BRITISH PLUG	GDFA14JFC*D GDFA14JGC*D
Voltage, Hertz SYSTEM FEATURES	220-240, 50/60
Туре	Freestanding
Control Method	Electronic TouchPanel
Interior Tub Material	Stainless Steel
Spray Arms	3
Heating Element (watts)	1800
Energy / Cleaning / Drying Efficiency	A+/A/A
Annual Energy Consumption**	299 kWh
Annual Water Consumption+	3500 L
Plug Type	British/Schuko
Approvals	CE / RoHS
Color*	White (W)
	Stainless Steel (S)
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	845 / 33.3
Width (mm/in)	598 / 23.5
Depth (mm/in)	600 / 23.6
Net Weight (kg/lb)	47 / 103.6
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	889 / 35
Width (mm/in)	625 / 24.6
Depth (mm/in)	635 / 25
Gross Weight (kg/lb)	52 / 114.6
Container Loading (20'/40'/40'HC)	48 / 108 / 162

<sup>\*\*</sup> Annual Water Consumption is based on 280 standard wash cycles

<sup>+</sup> Annual Energy Consumption is based on 280 standard wash cycles with cold fill and low power modes.



12 Place Settings 'A+' Energy Rating Freestanding **Electronic Controls** 6 Wash Programs (Intensive, Normal, Economy, 60-Minute Express, Rapid and Soak) Half Load Option 24-Hour Delay Start Timer Time Remaining Display **Automatic Detergent Dispenser** Rinse Aid Dispenser Water Softener Dispenser Safety Door Lock Stainless Steel Interior Adjustable Upper Rack 2 Spray Arms Removable Bottom Filtering Foldable Plate Holder Grids Anti-Flood Device Stainless Steel or White Color

## ISO 9001 & 14001 CERTIFIED FACILITY

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12DW-GDFC12JFC+-A





Gibson freestanding dishwasher model GDFC12JFC can conveniently wash 12 place settings of your dinnerware with one of six wash programs. The half load option is perfect for washing six or fewer place settings.

The delay start timer allows you to start the wash cycle within a 24-hour period. You can monitor the time remaining until the cycle ends with the time remaining display.

This model is available in stainless steel or white and has earned an 'A+' Energy Rating, which will save you money as well as save the environment.

MODELS WITH SCHUKO PLUG	GDFC12JFC*D
MODELS WITH BRITISH PLUG	GDFC12JGC*D
Voltage, Hertz	220-240, 50/60
SYSTEM FEATURES	
Type	Freestanding
Control Method	Electronic Control
Interior Tub Material	Stainless Steel
Spray Arms	2
Heating Element (watts)	1800
Energy / Cleaning / Drying Efficiency	A+/A/A
Annual Energy Consumption**	291 kWh
Annual Water Consumption+	3360 L
Plug Type	British/Schuko
Approvals	CE / RoHS
Color*	White (W)
	Stainless Steel (S)
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	845 / 33.3
Width (mm/in)	598 / 23.5
Depth (mm/in)	600 / 23.6
Net Weight (kg/lb)	45 / 99.2
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	889 / 35
Width (mm/in)	625 / 24.6
Depth (mm/in)	635 / 25
Gross Weight (kg/lb)	50 / 110.2
Container Loading (20'/40'/40'HC)	48 / 108 / 162

<sup>\*\*</sup> Annual Water Consumption is based on 280 standard wash cycles

<sup>+</sup> Annual Energy Consumption is based on 280 standard wash cycles with cold fill and low power modes.



12 Place Settings 'A+' Energy Rating Freestanding **Electronic Controls** 6 Wash Programs (Intensive, Normal, Economy, 60-Minute Express, Rapid and Light/Glass) 3, 6, 9 or 12-Hour Delay Start Timer **Automatic Detergent Dispenser** Rinse Aid Dispenser Water Softener Dispenser Stainless Steel Interior Adjustable Upper Rack 2 Spray Arms Removable Bottom Filtering Foldable Plate Holder Grids **Anti-Flood Device** 

Stainless Steel or White Color



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12DW-GDFE12JFC+-A





Gibson freestanding dishwasher model GDFE12JFC can conveniently wash 12 place settings of your dinnerware with one of six wash programs. The delay start timer allows you to start the wash cycle within 3, 6, 9 or 12 hours.

This model is available in stainless steel or white and has earned an 'A+' Energy Rating, which will save you money as well as save the environment.

The adjustable upper rack and foldable plate holder grids give you flexibility to load larger items in the dishwasher.

MODELS WITH SCHUKO PLUG	GDFE12JFC*D
MODELS WITH BRITISH PLUG	GDFE12JGC*D
Voltage, Hertz	220-240, 50/60
SYSTEM FEATURES	
Type	Freestanding
Control Method	Electronic Control
Interior Tub Material	Stainless Steel
Spray Arms	2
Heating Element (watts)	1800
Energy / Cleaning / Drying Efficiency	A+/A/A
Annual Energy Consumption**	291 kWh
Annual Water Consumption+	3360 L
Plug Type	British/Schuko
Approvals	CE / RoHS
Color*	White (W)
	Stainless Steel (S)
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	845 / 33.3
Width (mm/in)	598 / 23.5
Depth (mm/in)	600 / 23.6
Net Weight (kg/lb)	45 / 99.2
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	889 / 35
Width (mm/in)	625 / 24.6
Depth (mm/in)	635 / 25
Gross Weight (kg/lb)	50 / 110.2
Container Loading (20'/40'/40'HC)	48 / 108 / 162
,	

<sup>\*\*</sup> Annual Water Consumption is based on 280 standard wash cycles

<sup>+</sup> Annual Energy Consumption is based on 280 standard wash cycles with cold fill and low power modes.



12 Place Settings 'A+' Energy Rating Freestanding **Electronic Controls** 6 Wash Programs (Intensive, Normal, Economy, 60-Minute Express, Rapid and Light/Glass) 3, 6, or 9-Hour Delay Start Timer Half Load Option **Automatic Detergent Dispenser** Rinse Aid Dispenser Water Softener Dispenser Stainless Steel Interior Adjustable Upper Rack 2 Spray Arms Removable Bottom Filtering Foldable Plate Holder Grids Anti-Flood Device Stainless Steel or White Color



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12DW-GDFF12JFC+-A





Gibson freestanding dishwasher model GDFF12JFC can conveniently wash 12 place settings of your dinnerware with one of six wash programs. The half load option is perfect for washing six or fewer place settings. The delay start timer allows you to start the wash cycle within 3, 6, or 9 hours.

This model is available in stainless steel or white and has earned an 'A+' Energy Rating,

which will save you money as well as save the environment.

The adjustable upper rack and foldable plate holder grids give you flexibility to load larger items in the dishwasher.


GDFF12JFC*D
GDFF12JGC*D
220-240, 50/60
Freestanding
Electronic Control
Stainless Steel
2
1800
A+/A/A
291 kWh
3360 L
British/Schuko
CE / RoHS
White (W)
Stainless Steel (S)
845 / 33.3
598 / 23.5
600 / 23.6
45 / 99.2
889 / 35
625 / 24.6
635 / 25
50 / 110.2
48 / 108 / 162

<sup>\*\*</sup> Annual Water Consumption is based on 280 standard wash cycles

<sup>+</sup> Annual Energy Consumption is based on 280 standard wash cycles with cold fill and low power modes.



12 Place Settings 'A+' Energy Rating Freestanding **Electronic Controls** 6 Wash Programs (Intensive, Normal, Economy, 60-Minute Express, Soak and Light/Glass) Half Load Option **Automatic Detergent Dispenser** Rinse Aid Dispenser Water Softener Dispenser Stainless Steel Interior Adjustable Upper Rack 2 Spray Arms Removable Bottom Filtering Foldable Plate Holder Grids **Anti-Flood Device** Stainless Steel or White Color



Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12DW-GDFG12JFC+-A





Gibson freestanding dishwasher model GDFG12JFC can conveniently wash 12 place settings of your dinnerware with one of six wash programs. The half load option is perfect for washing six or fewer place settings.

This model is available in stainless steel or white and has earned an 'A+' Energy Rating, which will save you money as well as save the environment.

The adjustable upper rack and foldable plate holder grids give you flexibility to load larger items in the dishwasher.

MODELS WITH SCHUKO PLUG	GDFG12JFC*D
MODELS WITH BRITISH PLUG	GDFG12JGC*D
Voltage, Hertz	220-240, 50/60
SYSTEM FEATURES	
Type	Freestanding
Control Method	Electronic Control
Interior Tub Material	Stainless Steel
Spray Arms	2
Heating Element (watts)	1800
Energy / Cleaning / Drying Efficiency	A+/A/A
Annual Energy Consumption**	291 kWh
Annual Water Consumption+	3360 L
Plug Type	British/Schuko
Approvals	CE / RoHS
Color*	White (W)
	Stainless Steel (S)
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	845 / 33.3
Width (mm/in)	598 / 23.5
Depth (mm/in)	600 / 23.6
Net Weight (kg/lb)	43.5 / 95.9
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	889 / 35
Width (mm/in)	625 / 24.6
Depth (mm/in)	635 / 25
Gross Weight (kg/lb)	48.5 / 106.9
Container Loading (20'/40'/40'HC)	48 / 108 / 162
,	

<sup>\*\*</sup> Annual Water Consumption is based on 280 standard wash cycles

<sup>+</sup> Annual Energy Consumption is based on 280 standard wash cycles with cold fill and low power modes.



9 Place Settings 'A+' Energy Rating Freestanding **Electronic Controls** 6 Wash Programs (Intensive, Normal, Economy, 60-Minute Express, Rapid and Soak) Half Load Option 24-Hour Delay Start Timer Time Remaining Display **Automatic Detergent Dispenser** Rinse Aid Dispenser Water Softener Dispenser Safety Door Lock Stainless Steel Interior Adjustable Upper Rack 2 Spray Arms Removable Bottom Filtering Foldable Plate Holder Grids Anti-Flood Device Stainless Steel or White Color

## ISO 9001 & 14001 CERTIFIED FACILITY

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012

G12DW-GDFB09JFC+-A





Gibson freestanding dishwasher model GDFB09JFC can conveniently wash 9 place settings of your dinnerware with one of six wash programs. The half load option is perfect for washing six or fewer place settings.

The delay start timer allows you to start the wash cycle within a 24-hour period. You can monitor the time remaining until the cycle ends with the time remaining display.

This model is available in stainless steel or white and has earned an 'A+' Energy Rating, which will save you money as well as save the environment.

MODELS WITH SCHUKO PLUG	GDFB09JFC*D
MODELS WITH BRITISH PLUG	GDFB09JGC*D
Voltage, Hertz	220-240, 50/60
SYSTEM FEATURES	
Type	Freestanding
Control Method	Electronic Control
Interior Tub Material	Stainless Steel
Spray Arms	2
Heating Element (watts)	1800
Energy / Cleaning / Drying Efficiency	A+/A/A
Annual Energy Consumption**	222 kWh
Annual Water Consumption+	2660 L
Plug Type	British/Schuko
Approvals	CE / RoHS
Color*	White (W)
	Stainless Steel (S)
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	845 / 33.3
Width (mm/in)	448 / 17.6
Depth (mm/in)	600 / 23.6
Net Weight (kg/lb)	38.5 / 84.9
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	889 / 35
Width (mm/in)	473 / 18.6
Depth (mm/in)	635 / 25
Gross Weight (kg/lb)	42.5 / 93.7
Container Loading (20'/40'/40'HC)	80 / 168 / 252

<sup>\*\*</sup> Annual Water Consumption is based on 280 standard wash cycles

<sup>+</sup> Annual Energy Consumption is based on 280 standard wash cycles with cold fill and low power modes.



9 Place Settings 'A+' Energy Rating Freestanding **Electronic Controls** 6 Wash Programs (Intensive, Normal, Economy, 60-Minute Express, Soak and Light/Glass) Half Load Option **Automatic Detergent Dispenser** Rinse Aid Dispenser Water Softener Dispenser **Stainless Steel Interior** 2 Spray Arms Removable Bottom Filtering Foldable Plate Holder Grids **Anti-Flood Device** Stainless Steel or White Color

ISO 9001 & 14001

Gibson International Company 10200 David Taylor Drive Charlotte, NC 28262 U.S.A. www.gibson-intl.com

Design and specifications are subject to change without notice. Specification sheet colors may vary depending on equipment.

Gibson is a registered trademark © Electrolux Home Products, Inc. 2012 G12DW-GDFD09JFC+-A





12 Place Setting Model Shown

Gibson freestanding dishwasher model GDFD09JFC can conveniently wash 9 place settings of your dinnerware with one of six wash programs. The half load option is perfect for washing six or fewer place settings.

This model is available in stainless steel or white and has earned an 'A+' Energy Rating, which will save you money as well as save the environment.

MODELS WITH SCHUKO PLUG MODELS WITH BRITISH PLUG Voltage, Hertz	GDFD09JFC*D GDFD09JGC*D 220-240, 50/60
SYSTEM FEATURES	,
Туре	Freestanding
Control Method	Electronic Control
Interior Tub Material	Stainless Steel
Spray Arms	2
Heating Element (watts)	1800
Energy / Cleaning / Drying Efficiency	A+/A/A
Annual Energy Consumption**	222 kWh
Annual Water Consumption+	2660 L
Plug Type	British/Schuko
Approvals	CE / RoHS
Color*	White (W)
	Stainless Steel (S)
UNIT DIMENSIONS & WEIGHT	
Height (mm/in)	845 / 33.3
Width (mm/in)	448 / 17.6
Depth (mm/in)	600 / 23.6
Net Weight (kg/lb)	37.5 / 82.7
CARTON DIMENSIONS & WEIGHT	
Height (mm/in)	889 / 35
Width (mm/in)	473 / 18.6
Depth (mm/in)	635 / 25
Gross Weight (kg/lb)	41.5 / 95.1
Container Loading (20'/40'/40'HC)	80 / 168 / 252

<sup>\*\*</sup> Annual Water Consumption is based on 280 standard wash cycles

<sup>+</sup> Annual Energy Consumption is based on 280 standard wash cycles with cold fill and low power modes.



# Gibson®

A registered trademark © 2012 Electrolux Major Appliances International 10200 David Taylor Drive, Charlotte, NC 28262 U.S.A. www.electrolux-intl.com www.gibson-intl.com G12FL0300 July 2012